

THE PLANT DISEASE REPORTER

Issued By

CROPS RESEARCH DIVISION

AGRICULTURAL RESEARCH SERVICE

UNITED STATES DEPARTMENT OF AGRICULTURE

Volume 44

Number 13

(Index Number)

Issued March 15, 1961




Growth Through Agricultural Progress

The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Crops Research Division serves merely as an informational clearing house. It does not assume responsibility for the subject matter.

NS
SA
M
HEALTH MYCOLOGICAL
4 MAY 1961

THE PLANT DISEASE REPORTER



Digitized by the Internet Archive
in 2025

THE PLANT DISEASE REPORTER

Issued by

CROPS RESEARCH DIVISION

INDEX TO VOLUME 44

Prepared by Nellie W. Nance

Crops Research Division
Volume 44

Plant Industry Station, Beltsville, Maryland
Index Number

AUTHOR INDEX

- AICHELE, MURIT D., (438), (767), (904)
ALLEN, ROSS M., 246
AL-SOHAILY, IBRAHIM A., 113
ALTMAN, JACK, 317, 868
ANDERSON, H. W., (82)
ANDERSON, NEIL A., 286
ANDERSON, RALPH L., 132, (348)
ANDREWS, STUART R., 373
APT, WALTER J., 524
ARAGAKI, MINORU, 318, (761), 865
ARK, PETER A., 98, 100, 102, 197, 200, 204
ATKINS, J. G., 390
AUSTENSON, H. M., (524)
AYCOCK, ROBERT, 934
AYOUB, SADEK M., 755
- BAIN, DOUGLAS C., 190
BAINES, R. C., 281
BANTTARI, E. E., 154
BARR, JOHANNA T., 617
BATRA, LEKH R., 430
BEACHELL, H. M., (751)
BEGA, R. V., (669)
BERAHA, LOUIS, 82, (212), (424), (692)
BERGER, CARLOS A., (566), (841)
BERRY, FREDERICK H., 716
BISHOP, GUY W., (592)
BITTERS, W. P., (281)
BLODGETT, EARLE C., 438, 767, 904
BOEWE, G. H., 372
BONDE, REINER, (235)
BOOSALIS, M. G., 815
BORING, J. MILTON, (765)
BOTTINI, A. T., (200)
BOWERY, T. G., (733)
BOYCE, JOHN S., Jr., 351
BOYLE, L. W., (609)
BRAGONIER, W. H., (192)
BRANN, J. L., (269)
BRAUN, A. J., (560)
BREECE, JAMES R., (488)
BRENNAN, E., (20)
BRETT, CHARLES H., (886)
BRIERLEY, PHILIP, 463, (707)
BRODIE, BILL B., 800
BROWN, R. T., (180)
BUCKNER, GUY L., Jr., (532)
BURNETT, HARRY C., 505, 765
- CAFFEY, H. R., (19)
CAIRNS, ELDON J., (479)
CALLBECK, L. C., 68
CAMERON, H. RONALD, 139
CAMPANA, RICHARD J., (163), 908
CAMPBELL, LEO, 804
CAMPBELL, ROBERT N., 625
CAMPBELL, W. A., (89)
CAPPELLINI, RAYMOND A., 862
CARLTON, C. C., (136)
CARLTON, R. C., (390)
CARPENTER, J. B., (858), 916, (920)
CARTER, J. C., (163)
CASTILLO, B. S., (536)
CASTILLO, MANLIO, (764)
CATION, DONALD, 695
CEPONIS, M. J., 29
CETAS, R. C., 465
CHAMBERLAIN, D. W., (952)
CHAMBERLAIN, G. C., (273)
CHAPMAN, R. A., (159)
CHAVES, GERALDO M., 877
CHIARAPPA, LUIGI, 612
CHILDS, J. F. L., 920
CHITWOOD, B. G., 841, 848
CLARKE, O. F., (281)
CLERK, G. C., 931
COCHRAN, L. C., (87)
COHEN, MORTIMER, 578
COLE, JOHN R., 251
COLLIER, JACK W., (679)
CONNERS, I. L., 373
CONVERSE, R. H., 948
COOPER, W. E., (189), (733), (800)
COUCH, HOUSTON B., 506
COURTNEY, WILBUR D., (524), (804)
CREAGER, DON B., (568)
CREECH, JOHN L., (296)
- DAHLGREN, DONALD A., (450)
DAINES, ROBERT H., 19, 20, 826
DALE, J. L., 206
DAVIDSON, ROSS W., (754)
DAVIS, D., 622
DEAK, J. E., (622)
DEAN, JACK L., 874
DeGUTIÉRREZ, LUCY HASTINGS, 294
DESAI, M. K., (487)

DeWOLFE, T. A., (309), (572), (858)
DICKASON, E. A., 501
DICKENS, L. E., 317, (828)
DIENER, URBAN L., 136
DOBSON, J. W., Jr., (172)
DOPSON, R. N., (390)
DRAKE, CHARLES R., 115
DRAKE, R. J., (580)
DREW, RICHARD H., (855)
DUFFUS, JAMES E., 406
DUNN, G. M., (912)
DURBIN, RICHARD D., 536
DYSART, RICHARD J., 952

ECKERT, J. W., 660
EIDE, CARL J., (698)
EINSPAHR, DEAN W., (132)
ENGELHARD, ARTHUR W., 192
ENGLISH, HARLEY, (265)
ERICKSON, HOMER T., (877)
ESYLN, WALLACE E., (373)

FEDER, WILLIAM A., (405), 883
FELDMAN, J. M., (595)
FERGUSON, JOHN, (552)
FERRER, JUAN B., 221
FEZER, K. D., 71
FISHER, R. W., 273
FITZGERALD, B. J., (868)
FITZGERALD, PAUL J., 359
FOOTE, F. J., (830)
FOOTE, W. H., (501)
FORBES, I. L., (519)
FORD, H. W., 405
FORD, R. E., 276
FORSYTH, F. R., 208
FRAZIER, NORMAN W., 12, 436
FRENCH, DAVID W., (286)
FRIEDMAN, B. A., (29)
FROSHEISER, F. I., (314)
FUMAGALLI, ASTOLFO, (220)
FURR, J. R., (916)

GAINES, JOHN G., 155
GALVEZ, GUILLERMO E., 80, 394
GARBER, M. J., (309), (510), (710)
GARRISS, H. R., (14), (527)
GERDEMANN, J. W., 877
GILL, D. L., 946
GILMER, R. M., 395
GILLESPIE, WILLIAM H., 687
GIRARDEAU, J. H., Jr., 48
GRABON, GEORGE, (789)
GRAHAM, J. H., 59, 534
GRANT, THEODORE J., 426
GRAVES, CLINTON H., Jr., 129
GREELEY, LESTER W., (752)
GROGAN, R. G., (872)
GUENGERICH, H. W., (260)
GUTHRIE, JAMES W., 340, 592

HABECK, DALE H., 886
HAENSLELER, C. M., (19), (20)

HAGEN, IRVIN K., (724), (802)
HALISKY, P. M., 120, (603)
HART, JOHN H., 806
HARVEY, JOHN M., (837)
HAWKSWORTH, FRANK G., 72
HEGGESTAD, H. E., (303)
HEINIS, JULIUS L., 630
HELTON, A. W., 546
HENDERSON, W. J., (317), (828)
HILDEBRAND, E. M., 707
HIMELICK, E. B., 109
HINDS, THOMAS E., (72)
HODGES, C. S., (527)
HOFF, JOHN K., 333
HOLLIS, JOHN P., (840)
HOLMES, FRANCIS O., 46
HONMA, SHIGEMI, (550)
HOOD, J. R., (669)
HOPPER, B. E., 258
HOUSTON, BYRON R., (120)
HUNTER, R. E., 793
HUPPUCH, CHARLES D., 238
HURT, BEN C., Jr., (129)
HUSAIN, AKHTAR, 444
HUTCHINS, P. C., (405)
HUTCHINSON, M. T., 400
HYRE, R. A., 235

ILLMAN, WM. IRWIN, 297
ISHII, MAMORU, (318), 761, (865)
IVANOFF, S. S., 538

JACKSON, CURTIS R., 643
JENKINS, ANNA E., 596
JENKINS, J. MITCHELL, Jr., (934)
JENNINGS, PETER R., (80), (394), 751
JEWELL, F. F., 673
JOHNSON, E. M., 159
JOHNSON, H. G., (71)
JOHNSON, H. W., 19
JOHNSTON, C. O., 778
JONES, E. D., 809
JORANSON, PHILIP N., (132)

KAHN, ROBERT P., 296
KAVANAUGH, T., 591
KEANE, F. W. L., (240), (243), (326),
(328), (331), (632), (633), (634), 636
KEENER, PAUL D., 629
KEIL, HARRY L., 253
KELMAN, ARTHUR, (432), 57
KEMP, W. G., (273)
KENKNIGHT, GLENN, 220
KESSLER, K. J., 348
KILPATRICK, R. A., 653
KIMBLE, K. A., 872
KING, T. H., (536)
KINGSLAND, GRAYDON C., 496
KLOTZ, L. J., 309, 572, 858
KNORR, L. C., (578), 662
KRAMER, C. L., 162
KULIK, M. M., 54, 379

LAMBE, ROBERT C., 718

- LAMEY, H. A., (387)
 LATTERELL, FRANCES M., 679
 LAU, N. E., 402
 LAUFFER, C. H., (390)
 LEACH, CHARLES M., 364
 LEAPHART, CHARLES D., (655), 704
 LEATHERS, CHESTER R., 372
 LEONE, I., (20)
 LEPPIK, ELMER E., 40, 184
 LETT, LEONARD, (189)
 LIGHTLE, P. C., (45), 423
 LINDBERG, G. D., (390)
 LINE, RONALD F., 698
 LINN, M. B., (82)
 LIPTON, WERNER J., 837
 LOGSDON, CHARLES E., 92
 LOTT, T. B., 240, 243, 326, 328, 331,
 630, 633, 634
 LOWNSBERRY, B. F., 690
 LUKENS, R. J., 672
 LUTTRELL, E. S., 609

 MACHACEK, J. E., 290
 MAGIE, A. R., (120)
 MAHADEVAN, A., 943
 MAIER, CHARLES R., (793), 956
 MALAGUTI, GINO, (662)
 MALO, SIMÓN, 217
 MALOY, OTIS C., 36
 MANKIN, CLEON J., (113)
 MANN, A. J., (633)
 MANZER, F. E., (235)
 MARSHALL, H. G., 894
 MARTIN, R. D., (603)
 MARTIN, W. J., 216
 MARUZZELLA, JASPER C., 789
 MATTHEWS, FREDERICK R., (46)
 MAY, CURTIS, 754
 McFADDEN, LORNE A., 568
 McFARLIN, J. R., (505)
 McGUIRE, JUDSON U., (387)
 McINTOSH, D. L., 262
 McKINNEY, H. E., (51), (354)
 McKINNEY, H. H., 752
 McLEAN, D. M., 585, 738
 McMILLIAN, WILLIAM W., 387
 McONIE, K. CAMERON, (566)
 MECKSTROTH, G. A., (383)
 MELVIN, C. F., (383)
 MEREDITH, DONALD S., 618, 808
 MICHEL, L. J., (780)
 MILLER, J. H., (89)
 MILLER, P. W., 702, 796, 919
 MILLER, PAUL R., 5, 222, 297, 451,
 597, 673, 878, 962
 MILLIKAN, D. F., 260
 MINTON, EARL B., 479
 MINZ, G., 147
 MITCHELL, JOHN W., (684)
 MOORE, J. N., (370)
 MOORE, LAURENCE D., (506)
 MOORE, M. B., (154)
 MORGAN, O. D., (399)
 MORTON, DONALD J., 23, 724, 802

 MOTSINGER, RALPH E., 399
 MUMFORD, D. L., (591)
 MUNNECKE, DONALD E., 552
 MURAKISHI, HARRY H., 186, 550

 NAUER, E. M., (858)
 NEAL, D. C., 478
 NEELY, DAN, (109), 163
 NELSON, ROY A., (246)
 NEWHALL, A. G., 269, 332, (333)
 NEWSOM, L. D., (390)
 NEWTON, R. C., (59), (534)
 NICHOLS, LESTER P., 417
 NICKLE, W. R., 470
 NICOLSON, T. H., 774
 NIELSON, L. W., 342, (886)
 NIGH, EDWARD L., Jr., 288
 NITZANY, F. E., 144
 NULAND, D. S., (901)
 NULAND, DAVID, (744)
 NUQUIST, W. E., 126

 O'BANNON, JOHN H., (441), 484
 O'BRIEN, MURIEL J., 834
 OGAWA, JOSEPH M., 265
 OSHIMA, NAGAYOSHI, 828
 OSTAZESKI, STANLEY A., 66
 OWEN, J. H., 89

 PADGETT, W. H., (258)
 PALTÍ, J., (147), (448)
 PARMETER, J. R., Jr., 669
 PERSON, L. H., (491)
 PERSONS, T. D., (390)
 PETERSEN, D. H., 891
 PETERSON, G. A., (23)
 PETERSON, GLENN W., 744
 PETURSON, B., (208)
 PIERSON, C. F., 62
 PINE, T. S., 87, 324
 PLAKIDAS, A. G., (559)
 PONTIS, R. E., 595
 POPE, D. T., (342)
 POWELL, DWIGHT, 176
 PRAMER, D., (400)
 PRESLEY, J. T., (472)
 PURDY, LAURENCE H., 25

 RACKHAM, R. L., (510), (830)
 RAMSEY, G. B., (212), (424), 692
 RATCLIFFE, T. J., (48)
 RAYMER, W. B., (501)
 REED, J. P., (400), (402)
 REINHART, J. H., 648
 RENFRO, B. L., 314
 REYNOLDS, HAROLD W., 441, (484)
 RHYKERD, C. L., (59)
 RICH, AVERY E., 306
 RICH, SAUL, 351, 353
 RICHARDSON, LLOYD T., 104
 RILEY, JOHN A., Jr., (227)
 RINKOV, A., 510, (830)
 ROANE, C. W., 696
 ROCHOW, W. F., 940
 ROISTACHER, C. N., (858)
 ROSEDALE, D. O., (309)

- ROSENBERG, DAN Y., (488)
 ROSINSKI, MARTIN, (908)
 ROWAN, SAMUEL J., 646
 SACKSTON, W. E., 664
 SAKSENA, H. K., 697
 SANCHEZ, ANTONIO, 721
 SASSER, J. N., 728, 733
 SCHAREN, A. L., (815)
 SCHEIN, RICHARD D., (894)
 SCHENCK, N. C., 556
 SCHIEBER, EUGENIO, 71, 220, 672, 721,
 722, 764
 SCHNATHORST, W. C., 603
 SCHNEIDER, C. L., 742
 SCHUSTER, MAX L., (896), 901
 SCOTT, D. H., (370)
 SCRANDIS, DENIS A., (789)
 SCRANDIS, JOSEPH B., (789)
 SEAMAN, A., 214
 SEGURA, C. BAZÁN de, 256, 257
 SHAW, CHARLES GARDNER, 655
 SILBER, GUSTAVE, 303
 SILL, W. H., Jr., 487
 SIMONS, M. D., 780
 SINCLAIR, J. B. 180, 474, (478)
 SITTERLEY, WAYNE R., 134, 532, 533
 SMALE, BERNARD C., 684
 SMITH, ALBERT L., (189), (479)
 SMITH, FLOYD F., (463)
 SMITH, HARLAN E., 189
 SMITH, M. A., (212), (424), (692)
 SMITH, PAUL F., (426)
 SMITH, T. E., 72, 77, 435
 SMOOT, J. J., 383
 SNYDER, WILLIAM C., 566
 SOSA, OSCAR NERY, (71), (672), (722)
 SOWELL, GROVER, Jr., 587
 SPEERS, CHARLES F., (351)
 SPINK, W. T., (390)
 STAFFELDT, E. E., (793), (956)
 STALEY, J. M., (430)
 STEELE, ARNOLD E., (446)
 STEIB, R. J., (519)
 STESSEL, G. J., (133)
 STODDARD, E. M., (672)
 STORM, LEONARD W., 450
 STORM, NANCY S., (450)
 STRIDER, D. L., (491), 955
 STROBEL, GARY, (92)
 STRONG, FORREST C., 396
 STUCKEY, IRENE H., 133
 SUDIA, THEODORE W., (312)
 TAMIMI, S. A., 912
 TARJAN, A. C., 31, 574
 TASCHENBERG, E. F., 560
 TAYLOR, DONALD P., (543), 747
 TAYLOR, JACK, 172
 TEMPLETON, G. E., (206)
 THAYER, P. L., 167
 THOMASON, IVAN J., 51, 354
 THOMPSON, HUGH E., (162)
 THOMPSON, JAMES P., (98), (100), (102),
 (197), (200), (204)
 THURSTON, H. DAVID, (80), (394)
 TIMIAN, R. G., (359), 771
 TIMS, E. C., (54), (379)
 TODD, EDWIN H., 153
 TOOL, EVERETT, (724), (802)
 TOOLE, E. RICHARD, 45, 783, 784
 TOUNG, MO-CHU, (848)
 TRAYLOR, JACK A., (117)
 TRUJILLO, E. E., (566)
 TSAO, PETER H., (660), 710
 TUCKER, HENRY, (246)
 TULLIS, EDGAR C., (679)
 TURNER, P. D., 221
 UZZELL, GROVER, Jr., (728)
 VALLEAU, W. D., (159), 928
 Van der ZWET, T., 519
 Van GUNDY, S. D., (354), 510, 830
 VANTERPOOL, T. C., 362
 VARNEY, E. H., 370
 VOLCANI, ZAFRIRA, 448
 WADSWORTH, D. F., 516
 WAGNON, H. KEITH, 117, 488
 WALKER, J. T., 94
 WALLACE, H. A. H., (291)
 WALLACE, JAMES M., 580
 WALLEN, V. R., 596
 WALLIN, JACK R., 227, 896
 WEAVER, L. O., 179
 WEBB, RAYMON E., (834)
 WEIBEL, R. O., (877)
 WEIHING, JOHN L., (744)
 WEINBERGER, JOHN H., (117)
 WELLS, HOMER D., (66)
 WELSH, MAURICE F., (636)
 WERNHAM, CLIFFORD C., (496), 498
 WHIDDEN, RODNEY, (465)
 WHITLOCK, LEIGH S., 446
 WILCOXSON, ROY D., 312, (314), 594
 WILES, ALFRED B., 419, 472
 WILKINSON, R. E., (332)
 WILLIAMS, HAROLD E., (117), (324),
 (488)
 WILSON, CHARLES L., (687)
 WILSON, J. D., (94)
 WILSON, ROY A., (253)
 WINSTEAD, N. N., 14, 432, 491
 WOLF, FREDERICK A., 62
 WOOD, FRANCIS A., 594
 WOODBRIDGE, C. G., 855
 WRIGHT, W. R., 212, 424, (692), 820
 WYLLIE, THOMAS D., 543
 YARWOOD, C. E., 639
 YOUNG, H. C., Jr., (516)
 YOUNG, P. A., 170
 ZAUMEYER, W. J., 459
 ZENTMYER, GEORGE A., 819
 ZUCKERMAN, BERT M., 409, 416
 ZUMMO, NATALE, 559

SUBJECT INDEX

- Aabiton, 290
Abies fraseri: susceptibility to black root rot, 647
Abutilon theophrasti: tobacco ringspot virus, new host, mechanical inoc., 952
Acalymma vittata, 134
Acer spp.: blight, 349; dieback, 349, 350
 --- *rubrum*: peach rosette virus, 220
 --- *saccharinum*: *Clitocybe* mushroom root rot, 89
 --- *saccharum*: sapstreak disease, 348
Aceratagallia sanguinolenta, 888
 "Achaparramiento", see stunt, of corn
 Acorn disease, see stubborn disease
Acremoniella atra, 367
Acremonium spp., 594
Acti-dione=beta(2-(3,5-dimethyl-2-oxocyclohexyl)-2-hydroxyethyl)-glutarimide, 38, 396, 866
Acti-dione RZ, see under cycloheximide
Acti-spray, 396
Aeglopsis chevalieri: *Tylenchulus* semi-penetrans, free of, 281
 Afghanistan, 42
Afraegle paniculata: *Tylenchulus* semi-penetrans, free of, 281
 Africa, 148
Agrimycin (15% streptomycin and 1.5% oxytetracycline plus inert ingredients), 142, 698
Agrobacterium tumefaciens, 100, 102, 197, 200, 201, 552
Agrosan GN, 445
Agrosol, 290
Agrostis palustris: *Sclerotinia* dollar spot, 506
Agrox C (phenyl mercury acetate and ethyl mercury chloride), 290, 664
 Alabama, 45, 136, 189, 258, 423, 479, 779
Alaimus sp., 259
 Alaska, 92
 Alberta, 664
 Aldmer, 290
 Aldrin, 104
Aleurites fordii, *Cercospora* leaf spot, 190
 Alfalfa (see also *Medicago sativa*): *Helicotylenchus microlobus*, negative rept., 750; *Phytophthora cryptogea*, 661; root and stem rot, 817; *Sclerotinia sclerotiorum*, 862; *Sclerotinia trifoliorum*, 862; *Uromyces medicaginis*, 373
 --- varieties: root knot nematodes, reaction of varieties to, 441
 Almond: blossom blight and green fruit rot, 265
Alternaria sp(p.), 93, 823, 901
 --- *cucumerina*, 492, 494, 557
 --- *dauci*, 492
 --- *longipes*, 63
 --- *porri*, 493
 --- rot, of apple, 30
 --- *solani*, 160, 308, 493, 495, 622
 --- *tenuis*, 43, 367, 416, 666
 --- *tenuissima*, 416
 --- tomato, 493, 495
Amaranthus retroflexus: *Rhizoctonia solani*, susceptibility in irrigated fields in Nebraska, 815
Amitrol, 524
 Ammonium nitrate, 518
Anguina agrostis, use of herbicides to break life cycle of, 524
 Angular leaf spot, of bean, 492; cotton, 603; cucumber, 492; *Sesamum indicum*, 221; tobacco, 159, 160
 Anthracnose, of *Carica papaya*, 318; Citrus, 318; cucumber, 492; eggplant, 493, 494; *Mangifera indica*, 318; pepper, 493; *Persea americana*, 318; tobacco, 159; tomato, 297, 493, 495; *Trifolium pratense*, 315; watermelon, 493, 494, 556
Anthurium andraeanum: spadix rot in Hawaii, 865
 --- *schzerianum*: *Colletotrichum gloeosporioides*, 865
 Anticarie, 25, 290
Antirrhinum majus: stem and branch rot, 946; tobacco ringspot virus, 463
Aphanomyces euteiches, 5
 Aphelenchids, 259
 Aphelenchoides, 402, 480
 --- *bicaudatus*, 842
 --- *coffaeae*, 842
 --- *fragariae*, 828
Aphelenchus, 402
 --- *avenae*, 843
Aphis craccivora, 928
 --- *gossypii*, 12, 593, 766
 --- *spiraecola*, 766
 Apparatus, for inoculating sugarcane with the mosaic virus, 874
 Apple: *Alternaria* rot, 30; bitter rot, 318; black rot, 30; blue mold rot, 30; bruising by strong winds, 179; bull's-eye rots, 6; fly speck, 255; *Gloeosporium fructigenum*, 395; gray mold rot, 30; internal breakdown, 29; powdery mildew, 253; rasp leaf or leaf enation (virus), 634; scab, 176, 255, 306; scar skin, 260; sooty blotch, 255; stem pitting (virus), evaluation of flowering crab and other apple clones for detection of, 767; tip die-back, 767; twisted leaf virus, 240; virus, negative transmission through seeds, 695; water core, 29
 Apricot: blossom blight and green fruit

- (Apricot) rot, 265; crown gall, control with antibiotic drenches, 197; method to induce galls on with *Agrobacterium tumefaciens*, 100; ring pox (virus), 242, 243; twisted leaf virus, 240
- Arachis hypogaea*: pyroid (root knot) nemas, 848
- Arasan, 444
- Arasan 42-S, 271
- Arasan 75, 269
- Argentina, 595, 663
- Argyrotoxa semipurpurana*, 430
- Aristida adscensionis*: *Puccinia stakmanii*, negative reaction, 78
- Arizona, 189, 246, 372, 441, 450, 484, 617, 629, 692, 830
- Arkansas, 71, 189, 206, 391, 516, 681, 689, 779, 783, 799
- Armillaria mellea*, 91, 891, 892
- Artemisia dracunculus*: *Meloidogyne* spp., dry heat treatment, 354; *Meloidogyne hapla*, 1st rept. on this host (Calif.), 358
- *vulgaris*: crown gall, 102
- Arthrobothrys, 400
- Artichoke: *Botrytis cinerea*, 837
- Ascochyta caulicola*, 315
- *gossypii*, 189
- imperfecta, see *Phoma herbarum* var. *medicaginis*
- *meliloti*, 315
- *phaseolorum* 492, 493, 495
- *pinodella*, 366, 805
- *pisi*, 364, 366
- Ashy mold, of tobacco, 930
- Ashy stem blight, of bean, 492
- Asia, 148, 435, 679
- Asia Minor, 42
- Asparagus: rust, development of, in relation to temperature and moisture, 82
- Aspergillus* sp., 200, 367, 467, 622; on *Trigonella foenum-graecum*, 43
- *candidus*, 594
- *niger*, 594, 908, 934, 938
- Aspidiotus perniciosus*, 613
- Asterina indecora*, 505
- Asterolecanium* sp. (probably *variolosum*), 351
- Atlantia citroides*: *Tylenchulus semi-penetrans*, 281
- Aureobasidium pullulans*, 658
- Australia, 98, 435
- Avena sativa*: pyroid (root knot) nemas, 848
- Avocado, see *Persea americana*
- Bacteria, 395
- Bacteria and yeasts, on *Castanea* spp., 823
- Bacterial black stalk, of tobacco, 930
- Bacterial blight, of bean, 742; celery, 167; cotton, 189; eggplant, 742; *Euphorbia pulcherrima*, 568; *Gomphrena globosa*, 742; lettuce, 742; pepper, 742; *Sesamum indicum*, 742; southern pea, 493; spinach, 742; sugar beet, 742; *Tetragonia expansa*, 742; *Trifolium pratense*, 315
- canker, of tomato, 493, 495
- knot, of *Olea europaea*, 197
- rind necrosis, of watermelon, 761
- scab, of *Gladiolus*, 417
- soft rot, of pepper, 493, 495; shallot, 934
- spot, of peach, 131, 136, 826; pepper, 172, 493, 494; tomato, 493
- stem blight, of *Medicago sativa*, 314
- wilt, of corn, 372; cucumber, 492; eggplant, 432, 448, 493, 494; *Medicago sativa*, 314; pepper, 448; potato, 448; tobacco, 448; tomato, 448
- Bacterium, 908
- *stewartii*, 372
- Balsamocitrus dawei: *Tylenchulus semi-penetrans*, free of, 281
- Banana: black spot, 618; finger-tip infection ("black-tip") of fruits, 618; fruit spot ("speckle", "swamp-spot"), 618, 808
- , Cavendish: cucumber mosaic virus, 145
- Barbados cherry, see *Malpighia*
- Barley: aster yellows virus, transmission of, 154; covered smut, 290; downy mildew, 1st rept. on this host in Arkansas, 207; *Helicotylenchus microlobus*, 747; *Hoplolaimus tylenchiformis*, 401; loose smut, embryo test for, 802; loose smut epidemic in Minnesota, 71; *Pratylenchus pratensis*, 401; *Septoria* leaf blotch, 23; smut trials, 293; spot blotch, 23; strains of the barley stripe mosaic virus, 752; *Ustilago nuda*, improved method of disinfecting seed, 724, modification and adaptation of Popp's technique to routine detection of, 591; yellow dwarf (virus), 501
- Basic copper sulfate, 38, 955
- B.B. 67, 382
- Bean: angular leaf spot, 492; *Ascochyta* leaf spot, 492; ashy stem blight, 492; bacterial blight, 742; *Fusarium* root rot, 492, 804; *Heterodera glycines*, 492; leaf spot, 491, 492; *Meloidogyne incognita acrita*, 492; *Pellicularia filamentosa*, 92; *Phyllosticta* leaf spot, 492; *Pratylenchus penetrans*, 492; *Pythium* wilt, 492

- Rhizoctonia, 92
- Rhizoctonia root rot, 492
- Rhizoctonia solani, 815
- root rot, 491
- rust, 491, 492
- rust, a new race in Maryland, 459
- rust, aecial stage, 1st rept. from New York State, 809
- Sclerotinia sclerotiorum, 92
- Sclerotinia stem rot, 804
- southern blight, 492
- stunt (nematodes), 492
- tobacco necrosis virus, 639
- tobacco ringspot virus, 738
- web blight, 492
- , lima: downy mildew, 684
- , lima: tobacco ringspot virus, 738
- Beet: cucumber mosaic virus, 144
- , sugar: bacterial blight, 1st rept. on this host from Maryland, 742; control of nematodes by late fall application of fumigants, 868; crown rot, 817; cucumber mosaic virus, 144; Helicotylenchus microlobus, 747; radish yellows virus, 407; tobacco necrosis virus, 640
- Belonolaimus longicaudatus, 733
- Bemisia inconspicua, see B. tabaci
- tabaci, 48, 249, 931
- Benzene, 561
- Bermuda grass, see Cynodon
- Beta-propiolactone, 702
- Big vein, of lettuce, 352, 617
- Birdsfoot trefoil, see Lotus corniculatus
- Bitter rot, of apple, 318
- Blackheart, of celery, 92
- Black mold, of shallot, 934, 938
- Black root rot, of tobacco, 160
- Black rot, of apple, 30; cabbage, 491, 492; grape, 560
- Black shank, of tobacco, 62, 155, 159, 303, 929
- Black spot, of banana, 618
- Black stem, of Medicago sativa, 314; Melilotus spp., 315
- --- and leaf spot, of Trifolium pratense, 315
- Black streak, of sugar beet, see under bacterial blight
- Blast, of rice varieties, 679
- Blight, of maple, 349; Pilea mucosa, 697
- Blossom blight and green fruit rot of almond, apricot, plum, 265
- Blueberry, see Vaccinium
- Blue mold, of Spinacia oleracea, 834; tobacco, 159
- Blue mold rot, of apple, 30
- Boleodorus, 402
- Boll rots, of cotton, 189
- Book reviews: The Diseased Plant, edited by J. G. Horsfall and A. E. Dimond, 222; The Diseased Population -- Epidemics and Control, by J. G. Horsfall and A. E. Dimond, 878; Diseases and Pests of Ornamental Plants, by P. P. Pirone, B. O. Dodge, and H. W. Rickett, 597; The Pathogen, by J. G. Horsfall and A. E. Dimond, 451; Plant Disease Handbook (Revised Second Edition) by Cynthia Westcott, 962; Plant Pathology Laboratory Manual, second edition, by J. P. Fulton and others, 878; Vegetable Diseases and Their Control, by Charles Chupp and Arden F. Sherf, 673
- Bordeaux mixture, 69, 139, 142, 251, 309
- Botryodiplodia, 669
- Botryotinia squamosa, 586
- Botrytis spp., 594
- allii, 934, 935
- anthophila, 366
- cinerea, 30, 43, 92, 93, 265, 364, 366, 493, 495, 644, 664, 837; of pepper, 93
- squamosa, 585
- Bottom rot, of cabbage, 492
- Bouteloua aristidoides: Puccinia stakmanii, 77
- barbata: Puccinia stakmanii, 77
- curtipendula: Puccinia stakmanii, negative reaction 78
- gracilis: Puccinia stakmanii, negative reaction, 78
- Brachysporium torulosum, see Deighton-iella torulosa
- Branch rot, of Antirrhinum majus, 946
- Branch and stem canker, of cacao, 672
- Brassica campestris var. annua: ring spot, 1st rept. on this host in Canada, and 1st rept. on crucifers in Saskatchewan, 362
- Brazil, 681, 877
- Bremia lactucae, 93
- Brevipalpus californicus, 663
- phoenicis, 662
- British Columbia, 240, 262, 326, 328, 331, 409, 632, 633, 634, 636
- Bromus inermis: brown leaf-spot, 912
- Brown leaf-spot, of Bromus inermis, 912
- Brown leaf spot, of Medicago sativa, 314, 316
- Brown patch, of Lotus corniculatus, 115
- Brown rot, of Citrus spp., 578; peach, 130
- Brown spot, of Medicago sativa, 314; tobacco, 63
- Bruising, of apples by strong winds, 179
- Bull's-eye rots, of apple, 6
- Bunchosia glandulifera: Cercospora bunchosiae, 505

- Bunt, of wheat, 26, 290
 Bunt-No-More, 290
 Burma, 681
 Button rot, of potato, 93
 Butyl alcohol, 198
- Cabbage: black rot, 491, 492; bottom rot, 492; club root, 492, control of, 14; damping off, 492; downy mildew, 492; *Fusarium* sp., 92; *Hormodendron* sp., 92; *Rhizoctonia solani*, 91; root knot, 492; soft rot, 92; wire stem, 14, 492; yellows, 492
- Calcium cyanamide, 518
- California, 12, 51, 87, 98, 100, 117, 120, 126, 189, 197, 200, 204, 265, 281, 288, 309, 324, 341, 354, 406, 436, 446, 488, 510, 529, 552, 566, 572, 580, 603, 612, 639, 660, 669, 692, 710, 742, 755, 779, 819, 830, 837, 858, 872, 907, 916
- California Spray ML-372, 506
 California Spray ML-373, 506
- Calogreen, 417
 Calomel, 417
- Camarosporium juniperinum*, 529
- Camellia: petal blight, 559
 --- *japonica*: *Hemicriconemoides gaddi*, 446
 --- *sinensis*: pyroid (root knot) nemas, 848
- Canada, 362
- Candida* sp., 367, 594
- Canker, of coffee, 566; of *Populus grandidentata*, 132; of *Populus tremuloides*, 132; of *Quercus virginiana*, 754
- Cantaloupe: *Alternaria* leaf spot, 492, 494; *Cercospora* leaf spot, 492; downy mildew, 372, 492; fruit rot, 492, 494; gummy stem blight, 492; powdery mildew, 492; root knot, 492; tobacco ringspot virus, 738
- Canuck Liquid Mercury Concentrate, 290
 --- Mercury Aldrin, 290
 --- Organic Mercury, 290
- Capsella bursa-pastoris*: radish yellows virus, 407
- Capsicum annuum*: *Colletotrichum* blight, 697
 --- *frutescens*: pyroid (root knot) nemas, 848
- Captan (Orthocide 75) (N-trichloromethylmercapto-4-cyclohexene-1,2-dicarboximide), 14, 21, 38, 64, 104, 130, 136, 168, 176, 253, 270, 306, 318, 444, 445, 467, 474, 826, 866, 935
- Carbamic acid, thiono-, isopropyl ester, 385
- Carbanilic acid, *m*-chloro-, isopropyl ester, 385
 --- *p*-chloro-, ethyl ester, 385
 --- 1-methoxy-, 2-propyl ester, 385
 --- 2-methoxy-, propyl ester, 385
 --- propyl ester, 385
 --- thiono, *p*-methoxy-, ethyl ester, 385
- Carbon and light sources, influence on cultural characters of *Fusarium lycopersici*, 943
- Carica papaya*: anthracnose, 318; *Colletotrichum gloeosporioides*, 866
- Carneocephala flaviceps*, 888
- Carrot: *Alternaria* leaf spot, 492; *Botrytis cinerea*, 92; southern blight, 492; *Stemphylium radicinum*, 92
- Carthamus tinctorius*: *Botrytis cinerea*, in seed of, 664; cucumber mosaic virus, 145; *Pseudomonas aptata*, negative rept., 743; *Sclerotinia sclerotiorum* in seed, 664; *Verticillium* wilt, seed transmission, 901
- Castanea* spp.: *Alternaria*, 823; bacteria and yeasts, 823; *Cladosporium* sp., 823; *Cytodiplospora castanea*, 820; *Dothiorella* sp., 820; *Fusarium* sp., 823; *Macrophoma* sp., 823; *Papu-lospora* sp., 823; *Penicillium* sp., 823; *Pestalotia* sp., 820, 823; *Phoma castanea*, 820; *Phomopsis* sp., 823; *Rhizopus* sp., 823
 --- *dentata*: chestnut blight, 754; *Endothia parasitica*, resistance to, inoc. experiments, 716
 --- *henryi*: *Endothia parasitica*, resistance to, inoc. experiments, 716
 --- *mollissima*: *Endothia parasitica*, resistance to, inoc. experiments, 716
 --- *sativa*: *Endothia parasitica*, resistance to, inoc. experiments, 716
- Cauliflower: club root, 805
- CD-1465, 68
- Cedar blight, of *Juniperus virginiana*, 744
- Celery: bacterial blight, 167; blackheart (physiological), 92; early blight, 167; late blight, 92
- Cenangium singulare*, 373
- Central America, 679
- Cephaleuros virescens*, 505
- Cephalosporium* sp(p.), 333, 367, 594
 --- *diospyri*, 45
 --- *gramineum*, 877
 --- stripe, of small grains in Illinois, 877
- Cephalothecium* sp., 367
- Ceratocystis* sp., 566
 --- *coerulescens*, 348, 626
 --- *fagacearum*, 6, 192, 687, observations on sporulation, 286
 --- *fimbriata*, 566, 626, 672
 --- *ips*, 626; on *Pinus banksiana*, and P.

- (*Ceratocystis*) *resinosa*, 626
 --- *moniliformis*, 626
 --- *piceae*, 626
 --- *pilifera*, 626
 --- *pluriannulata*, 626
 --- *ulmi*, 161, 162, 163, 806, 908
Ceratostomella paradoxa, on pineapple, 519
Cercospora sp., 316
 --- *aleuritidis*, 190
 --- *apii*, 63, 167
 --- *bunchosiae*, 505
 --- *capsici*, 493
 --- *citrullina*, 492, 493, 557
 --- *davisii*, 315
 --- *juniperina*, 529
 --- leaf spot, of *Medicago sativa*, 314; of pepper, 173
 --- *musarum*, see *Deightonella torulosa*
 --- *nicotianae*, 160, 930
 --- *sequoiae*, 529
 --- *sequoiae* var. *juniperi*, 529
 --- *sesami*, 221
 --- *sesamicola*, 221
 --- *traversiana*, 40
 --- *zebrina*, 314, 315
 Cereals, rose-grass and apple-grain aphids, 503
 Ceresan, 444
 Ceresan 75, 25, 290
 Ceresan 100, 290, 293
 Ceresan 100 and Setrete reduced germination in flax, 293
 Ceresan 200, 290
 Ceresan M (ethyl mercury p-toluene sulfonanilide), 25, 290, 664
Cerotoma trifurcata, 952
 Ceylon, 446
Chaetocnema spp., 952
Chaetomium spp., 367, 594
 --- *globosum*, survival, colonization and antagonism of induced mutants of, 774
Chamecyparis thyoides: susceptibility to black root rot, 647
 Charlock, see *Sinapsis*
 Chemagro C 272, 25, 382
 Chemagro D-113, 25, 382
 Chemical 18133, 399
 Chemical injury, to Citrus, 385
 Chemicals, action on wood-destroying fungi, 789
Chenopodium album: *Pseudomonas aptata*, negative rept., 743; *Rhizoctonia solani*, 818
 Cherry (see also *Prunus*): twisted leaf virus, 243, host range, 240
 ---, sour: *Gloeosporium fructigenum*, 395
 ---, sweet: "dead bud" (*Pseudomonas syringae*), 139; Van variety seedlings superior to Bing variety as indicator for twisted leaf virus, 331
 Chestnut blight, of *Castanea dentata*, 754
 China, 681
 Chipcote, 26
 Chloranil, 104
Chloris virgata: *Puccinia stakmanii*, negative reaction, 78
 Chlorogenic acid, in strawberry plants affected with crinkle and yellows viruses, 536
 Chloropicrin, 14, 552, 948
 Chlorosis, of peach tree, 317
Choanephora cucurbitarum, 492, 493, 494
 Chokecherry, see *Prunus virginiana* var. *demissa*
Chromaphis juglandicola, 690
Chrysanthemum hortorum: crown gall, 100
Ciborinia sp. (?), 431
 --- *candolleana*, 430
Cicadula ciliata, 771
 Citrange: *Tylenchulus semipenetrans*, 281
 Citrus sp(p.): anthracnose, 318; brown rot, 578; exocortis (virus), 180, 925; *Fomes applanatus*, 925; foot rot, 925; greasy spot, 925; green mold, 383; gummosis (cause unknown), 926; infectious variegation (virus) in Florida, 426; *lepra explosiva* (*Brevipalpus obovatus*) in Argentina and Paraguay, 663; methods of application of DBCP around living trees, 830; *Phytophthora* spp., 858, methods of soil infestation, watering, and assessing the degree of root infection, 710; psorosis (virus), 426, 926; rind spot (virus), 925; scaly bark form of psorosis (virus), 925; spreading decline (virus), 465; stem-end rot, 383; stubborn disease (virus), in Morocco, 920; tristeza (virus), 925, spread in Florida, 765; *Tylenchulus semipenetrans*, 281; withertip, 318; woody galls, associated with vein-ination virus, 580; xyloporosis (cachexia) (virus), 925; zoospore suspensions of *Phytophthora* spp. for investigations on diseases of, 572
 --- aurantium: halo scab, association of *Elsinoe fawcetti* and *Brevipalpus phoenicis*, 662; pyroid (root knot) nemas, 848
 --- grandis: wood pitting (cause undet.), 916
 --- paradisii and x *reticulata*: wood pitting (cause undet.), 916
 --- *reticulata*: exocortis disease, 180; wood pitting (cause undet.), 916
 --- *reticulata austera*: pyroid (root knot) nemas 848

- *reticulata* x *C. sinensis*: wood pitting (cause undet.), 916
- seedlings, unbudded: wood pitting (cause undet.), 916
- *sinensis*: chemical injury, 385; decay inhibitors for postharvest use on, 383; disinfestation of planting sites improves growth of navel orange trees on Troyer citrange rootstock, 309; exocortis disease, 180; pyroid (root-knot) nemas, 848; root rot, 3⁹; wood pitting (cause undet.), 916
- varieties, hybrids, species and relatives evaluated for resistance to *Radopholus similis*, 405
- Cladosporium* spp., 416, 823
 - *carpophilum*, 129
 - *cladosporioides*, 43, 367
 - *cucumerinum*, 201, 492, 494
 - *effusum*, 129
 - *elatum*, 367
 - *fulvum*, 160
 - *herbarum*, 43
 - *herbarum* var. *citricolum*, 663
 - *vignae*, 493, 495, 955
- Clasterosporium carpophilum*, 424
 - *glomerulosum*, 529
- Clausena lansium*: *Tylenchulus semipenetrans*, free of, 281
- Cleome spinosa*: tobacco necrosis virus, 639
- Clitocybe* mushroom root rot, in Georgia, 89
 - *tabescens*, 89, 891, 892
- Clover, red, see *Trifolium pratense*
- Clubroot, of cabbage, 14, 492; of cauliflower, 805
- Cneoridium dumosum*: *Tylenchulus semipenetrans*, 281
- COCS, 560
- Coffea* sp(p).: branch and trunk canker in Guatemala, limiting factor in production, 566; *Nectria* sp., 566; nematode parasites in Guatemala, suggested control measures, 841
 - *arabica*: *Meloidogyne exigua*, 1st rept. on this host from Guatemala, 722; *Pratylenchus coffeae*, 1st rept. on this host from Guatemala, 722; pyroid (root knot) nemas, 848
 - *arabica* varieties *arabica*, *bourbon*, and *pache*: resistance of, to *Meloidogyne exigua* and *Pratylenchus coffeae*, 723
 - *robusta*: resistance to *Meloidogyne exigua* and *Pratylenchus coffeae*, 723
- Colletotrichum* sp., 316, 366
 - *anthurii*, 862
 - *capsici*, 492, 697
 - *coccodes*, 297
 - *destructivum*, 159, 314, 315, 316, 654
 - *gloeosporioides*, 318, 669, 865
 - *lagenarium*, 492, 493, 494, 556, 866
 - *lindemuthianum*, 201, 866
 - *musae*, 867
 - *nigrum*, 493
 - *phomoides*, 493, 495
- Colloidox, 68
- Colombia, 62, 80, 394, 672
- Colorado, 72, 317, 424, 779, 828, 868
- Connecticut, 353, 672
- Control, of anthracnose of mango by fungicides, 318; of bacterial spot of peach with dodine-captan combination, 136; of bacterial wilt of potato by securing disease-free seed tubers, 449; of banana fruit-spot (*Deightonella torulosa*), 808; of *Belonolaimus longicaudatus* on peanuts with DBCP and EN 18133, 733; of cedar blight of *Juniperus virginiana* with fungicides, 744; of *Cladosporium* spot of southern pea, 955; of clubroot and wirestem of cabbage, 14; of crown gall and olive knot with antibiotic drenches, in greenhouse, 197; of diseases of shalot, 934; of downy mildew of lima bean with phenacridane chloride and related compounds, 684; of early blight of celery in Florida with Dyrene, 167; of grape diseases with Phaltan, 560; of leaf blight of hawthorn, 396; of leaf and stem rust of wheat by zineb and inorganic nickel salts, 208; of mosaic of potato, by exclusion, 340; of needle blight of *Juniperus virginiana*, 531; of nematode parasites of coffee in Guatemala, 841; of *Olpidium* of lettuce by Terraclor, 352; of *Phytophthora fragariae* with soil fungicides, 948; of powdery mildew of greenhouse roses with polybutenes, 273; of pyroid nemas in Taiwan, 854; of root-knot nematode and aphid on tobacco, 399; of rose-mosaic virus by heat treatments, 46; of rusty spot of peach, 20; of seed-piece decay of potato, 698; of smut of onion, with granule formulations in greenhouse and field, 269, with liquid nabam and N-dure, 332; of soft root rot of flax by tetracycline, 214; of stripe smut on *Poa pratensis* with nabam, 672; of yellow dwarf virus of sweetpotato by heat treatment, 707
- Co-op. Aldmer, 291
 - Hexa, 291
 - Organic Mercury, 291

- Copper A, 142
 Copper with lime, 560
 Copper zinc chromate, 168
 Corky root rot, of lettuce, 333
 Corn: bacterial wilt, 372; cold reaction, 498; crazy top, 1st rept. on this host from Virginia, 696; *Helicotylenchus microlobus*, 747; *Pythium* sp., 161; seedling blights 498, influence of gibberellic acid on 312, variation in symptoms with changes in pathogen species, isolate and host genotype 496; stalk rot and smut, 498; stunt ("achaparramiento") (virus) in Guatemala, 764; synthetics for disease resistance, 498
Cornus florida: *Clitocybe* mushroom root rot, 89
 Corrections, 373, 962
Corticium galactinum, 783
Corynebacterium insidiosum, 314
 --- *michiganense*, 98, 200, 201, 202, 493, 495, 552
 --- *poinsettiae*, 568
 --- *sepedonicum*, 552
Corynespora cassiicola, 493, 495
Coryneum beijerinckii, see *C. carpophilum*
 --- canker, of *Vaccinium corymbosum*, 409
 --- *carpophilum*, 629
 --- *juniperinum*, 529
 --- *microstictum*, 409
 Costa Rica, 71, 80, 294, 672, 681
 Cotton: angular leaf spot, 603; anthracnose boll rot, 189; *Ascochyta* blight, 189; bacterial blight, 189, 800; boll rots, 189; damping-off, 288, 474; diseases, reduction in yield caused by, 189; *Fusarium* wilt, 189, 419; hadromycosis, 840; leaf crumple (virus), 246; *Meloidogyne incognita* acrita, Thimet and Disyston gave no control 288; nub root, seedling deterioration a factor in, 472; reaction of varieties to isolates of *Xanthomonas malvacearum*, 800; *Rhizoctonia solani*, 793, 956; root knot, 189, 288, DBCP for controlling, 484; root rot, 189; rust, 77; seedling diseases, 189; *Thielaviopsis basicola*, 956; *Verticillium* wilt, 189, 256, 435, evaluation of strains and progenies for resistance to, 419, nitrogen supplement in the Louisiana-Mississippi river delta as a control for, 478
 Cotton seed treatment, with DBCP for controlling the root-knot nematode, 484
 Cottony leak, of cucumber, 492
 Cowpea, see *Vigna*
 Crag Experimental Fungicide 224, 382
 --- --- --- 5400, 382
Crataegus oxycantha var. *pauli*: leaf blight, control of, 396
 Crazy top, of corn, 696
 Crease stem, tomato, 170
Criconema, 470
Criconemoides sp(p.), 94, 96, 259, 402, 470, 842
 --- *gaddi*, see *Hemicriconemoides*
 --- *rusticum*, 470
 --- *sphaerocephalum*, 471
Cronartium fusiforme, 673
 --- *ribicola*, 6
 --- *strobilinum*, 36
Crotalaria intermedia: tobacco ringspot virus, 738
 Crown gall, of apricot, 197; of *Artemisia vulgaris*, 102; of *Chrysanthemum hortorum*, 100; of *Helianthus annuus*, 100, *tuberosus*, 102; of peach, 197; of tomato, 100
 Crown and root rot, of *Medicago sativa*, 314
 Crown rots, of *Limonium sinuatum* and *L. bonduellii*, 643; sugar beet, 817
Cryptospora longispora, 296
 Cuba, 71, 80
 Cucumber: angular leaf spot, 492; anthracnose, 492; bacterial wilt, 492; *Cercospora* leaf spot, 492; cottony leak, 492; downy mildew, 372, 492; fruit rot, 492; *Fusarium* wilt, 648; mosaic (virus) in Israel, 144; powdery mildew, 273; root knot, 492; scab, 492; tobacco necrosis virus, 639; tobacco ringspot virus, 463, 738
 Culm rot, of oats, 538
Cunninghamella spp., 594
Cupressus arizonica: susceptibility to black root rot, 647
Cyamopsis tetragonoloba: tobacco ring-spot virus, 738
 Cycloheximide (Acti-dione) (beta[2-(3,5-dimethyl-2-oxocyclohexyl)-2-hydroxyethyl]-glutarimide), 38, 396, 866
 --- derivatives, Acti-dione RZ, 506, 745; Acti-spray, 396
Cymadothea trifolii, 315
Cymbopogon citratus: eye spot, 721
Cynodon dactylon: *Helminthosporium* spp., 517; insect injury, 517; snow mold, 517; spring dead spot, 516; winter injury, 517
 Cyprex, see dodine
Cytodiaporthe castanea, 821

- Cytodiplospora castanea, 820, 821
 Cytospora spp., 612, 908
 --- canker, of *Picea engelmanni*, 72
 --- leucostoma, 612
 --- rubescens, 612

 2,4-D injury, to tobacco, 930
 DAC-649, 465
 Daedalea confragosa, 787
 Dahlia sp.: *Pratylenchus coffeae*,
 1st rept. on this host in the U.S.
 (Michigan and California), 755
 Dalapon, 524
 Damping-off, of cabbage, 492;
 cotton, 288, 474
 Datura stramonium: stem necrosis,
 551
 DBCP (1,2-dibromo-3-chloropropane),
 480, 484, 510, 733, 830
 D-D (1,3-dichloropene--1,2-dichloro-
 opropane), 479, 868
 DDT (2,2-bis(p-chlorophenyl)-1,1,1-
 trichloroethane), 391, 560
 Deficiency diseases: boron deficiency
 of *Vaccinium corymbosum*, 855;
 minor-element deficiencies, prin-
 cipally zinc and iron of *Citrus* spp.,
 926; potash deficiency in tobacco,
 930
 Dehydroacetic acid, 64
 Deightoniella torulosa, 618, 808
 Delsan A-D, 417, 936
 Deltoccephalus sonorus, 888
 Demeton, 501
 Dextrose, 884
 DHA-S, 60, 64
 Diabrotica balteata, 134
 --- undecimpunctata howardii, 134, 852
 Diaporthe phaseolorum, 596
 Dichlone (2,3-dichloro-1,4-naphthoquinone),
 176, 318, 474, 664
 Dieback, of *Acer* spp., 349, 350; apple,
 767; *Prunus domestica*, 612; *Quercus*
 alba and *Q. prinus*, 351
 ---, boron deficiency, of *Vaccinium*
 corymbosum, 855
 Dieldrin (1,2,3,4,10,10-hexachloro-6,7-
 epoxy-1,4,4a,5,6,7,8,8a-octahydro-1,
 4-endo-exo-5,8-dimethanonaphthalene),
 104, 936
 Dieldrisan, 291
 Digitaria sp.: hoja blanca (virus), 751
 --- sanguinalis: *Panicum mosaic virus*,
 487; *Piricularia* spp., 679, 682
 Dimethyl sulfoxide, 866
 Dioryctria spp., 36
 Diospyros virginiana: wilt, 1st rept.
 on this host in Okla., 45
 Diplodia natalensis, 383
 --- theobromae, 672
 Diseases, caused by tobacco ringspot
 virus in lower Rio Grande valley,
 738; of cereal crops in Virginia, 696;
 of cut greenery in Oregon, 718; of
 forage legumes in Minnesota, 314;
 of vegetables in North Carolina, 491
 Disinfecting barley seed, for *Ustilago*
 nuda, improved method, 724
 Disodium ethylene bisdithiocarbamate,
 see under nabam
 Dissemination, of internal cork virus of
 sweetpotato, 886
 Distichlis sp.: rust, 828
 Distribution, of angular leaf spot in Cali-
 fornia, 605
 Disyston, 288, 501
 Dithane, 270, 382
 Dithane D-14, (maneb), 332
 Dithane (maneb) plus cerium nitrate, 382;
 plus nickel chloride, 382; plus titan-
 ium chloride, 382; plus zirconium
 nitrate, 382
 Dithane Z-78, see zineb
 Ditylenchus, 402
 --- dipsaci, 288
 --- procerus, 841, 842
 DNBP, 525
 2-dodecylisoquinolinium bromide, 318
 Dodine (n-dodecylguanidine acetate),
 (Cyprex dodine 65-W) 168, 176, 251,
 253, 744, 826, 865, 866
 Dodine-captan combination, for control
 of bacterial spot of peach, 136
 Dolichodorus heterocephalus, 884
 Dorlone, 479
 Dorylaimidae, 402
 Dorylaimids, 259
 Dorylaims, 219
 Dorylaimus spp., 401
 Dothiorella, 669, on *Castanea* spp., 820
 Dothiorella quercina, 351
 Dothiorella ulmi, 807, 908
 Dow Compound M-244, 382
 Dow Compound M-245, 382
 Dowfume MC-2 (methyl bromide and
 chloropicrin), 948
 Dowfume W-85, 479
 Dowicide-A plus hexamine, 383, 385
 Dowicide B (sodium 2,4,5-trichlorophen-
 oxide), 934, 935
 Downy mildew, of cabbage, 492; cantaloupe,
 372, 492; cucumber, 372, 492;
 grape, 560; lettuce, 93; lima bean,
 control with phenacridane chloride
 and related compounds, 684; Medi-
 cago sativa, 314; small grains and
 grasses in Arkansas, 206; squash,
 492, 494; tobacco, 6; watermelon,
 372, 556
 DuPont Spreader-Sticker, 563
 Dutch elm disease, of *Ulmus* spp., 161
 ff., 908

- Dyrene (2, 4-dichloro-6-(o-chloroanilino)-s-triazine), 167, 176, 506, 865, 866, 955
- Early blight, of celery, 167; potato, 308; tomato, 160, 308, 493, 495
- Echinochloa colonum: hoja blanca (virus), 394, 751; Puccinia stakmanii, negative reaction, 78
- crus-galli: Piricularia spp., 679
- Ecuador, 672
- EF35429, 68
- Eggplant: anthracnose, 493, 494; bacterial blight, 742; bacterial wilt, 432, 448, 493, 494; Phomopsis blight, 493, 494; southern blight, 493; tobacco ringspot virus, 738
- Egypt, 42
- Elaeagnus angustifolia: Verticillium wilt, 1st rept. on this host (New Mexico), in U. S., 72
- Eleusine coracana: Piricularia spp., 679
- indica: downy mildew in Arkansas, 207
- El Salvador, 71, 751, 764
- Elsinõe sp., on sugarcane, 153
- fawcetti, 662
- Empoasca abrupta, 888
- fabae, 888
- fabalis, 48
- Emmi, 26, 417
- Emmi-heptachlor, 417
- Emulsifiable Nemagon, 831
- EN 18133 (O,O-diethyl O-2-pyrazinyl phosphorothioate), 733
- Endothal (3,6-endoxohexahydrophthalic acid), 525
- Endothia parasitica, 716, 754
- End-o-thol, 142
- Endria inimica, 771
- England, 214
- Entomosporium thuemenii, 396
- Entyloma oryzae, 19
- Epicoccum sp., on Vaccinium corymbosum, 416
- nigrum, 367
- Epidemic leaf-blighting, of California-laurel, 669
- Eragrostis barrelieri: Puccinia stakmanii, negative reaction, 78
- Erwinia spp., 493, 495, 698, on watermelon, 761
- amylovora, 200, 201, 204
- aroideae, 201, 761
- atroseptica, 698
- carnegieana, 761
- carotovora, 92, 93, 200, 201, 698
- tracheiphila, 492
- Erysiphe cichoracearum, 273, 492, 494, 557, 595
- graminis f. sp. tritici, 126
- polygona, 201, 315
- Ethanol, 386
- Ethione, 270
- Ethiopia, 42
- Ethyl mercury thiourea derivative, see under Lunasan
- Euphorbia: Uromyces striatus, 184
- cyperissias: Uromyces medicaginis, 373
- pulcherrima: bacterial blight, 568
- Europe, 67, 132, 148, 679
- Exitianus exitiosus, 771, 888
- Exocortis disease, of Citrus spp. and relatives, 180
- Exosporium betheli, 529
- deflectens, 529
- glomerulosum, 527, 529
- juniperinum, 529
- Experimental Quaternary 3104, 142
- Eye spot, of Cymbopogon citratus, 721
- Fenugreek, see Trigonella
- Ferbam (ferric dimethyl dithiocarbamate), 38, 318, 415, 560
- Festuca spp.: Sclerotinia dollar spot, 506
- arundinacea: downy mildew in Arkansas, 207; source of rose-grass and apple grain aphids, 503
- Finger-tip ("black-tip"), of banana, 618
- Finland, 529
- Fire blight, of pear, 204
- Flax: Helicotylenchus microlobus, negative rept., 750; seed rot (threshing injury), 290; seed-rot trials, 293; soft root rot, 214
- Florida, 31, 36, 45, 66, 153, 167, 180, 219, 318, 383, 390, 405, 426, 465, 505, 556, 568, 574, 578, 643, 663, 679, 680, 681, 765, 779, 883
- Fly speck, of apple, 255
- Fomes annosus, 425
- applanatus, 892, 925
- lobatus, 892
- subroseus, 892
- Foot rot, of Citrus spp., 925; pea, 805
- Forage legumes: field inoculation of, and temperature studies with Sclerotinia trifoliorum and S. sclerotiorum, 862; saprophytic fungi associated with seed, 367
- Forecasting, bacterial wilt of corn, 372; late blight of potato, 227, 896, reevaluation of methods proposed for, 235
- Formaldehyde, 332, 334
- Fortunella crassifolia: Tylenchulus semi-penetrans, 281
- Fragaria ananassa: pyroid (root knot) nemas, 848
- vesca: genetic abnormality in Idaho clone, 546; latent A strawberry virus,

- (*Fragaria*) apparent inactivation of, in preliminary tests, 702
- var. *bracteata*: genetic abnormality, related to leaf variegations, 549
- Frogeye, of tobacco, 63, 160, 930
- Fruit rot, of cantaloupe, 492, 494; cucumber, 492; tomato, 493, 495; watermelon, 493
- Fruit spot, of banana, 618, 808
- Fruit trees: method to induce galls on with *Agrobacterium tumefaciens*, 100
- Fumazone, 735
- Fumigants, for control of sugar beet nematodes, soil fungi and weeds, 868
- Fungi, associated with forage legume seed, 364; collected from blueberry stems in Massachusetts, 416; immersion plate for isolation from soil, 594; heat treatments to destroy in infected seeds and seedlings of citrus, 858; sap-stain, found in Minnesota, 625; soil, late fall application of fumigants, for control of, 868; wood destroying, action of organic chemicals and essential oils on 789
- Fungicide and nematocide tests, 1959, results of, 451
- Fungicide treatments, postharvest, for decay in Anjou pears, 64
- Fungicides, for control of cedar blight, 744
- : effect of soil fungicides upon soil-borne bacteria and soil nitrogen, 552
- tested for control of melting-out of Kentucky bluegrass and *Sclerotinia* dollar spot of seaside bentgrass, 506
- , evaluation for control of powdery mildew and other diseases of apple, 253
- , method of evaluating in the soil under controlled conditions, 648
- , soil, evaluation against *Fusarium solani* isolated from feeder roots of Citrus trees, 465
- "Fusarial head blight", of wheat in Guatemala, 220
- Fusarium* sp(p.), 59, 186, 314, 315, 333, 366, 435, 491 ff., 534, 594, 618, 646, 654, 698, 823, 871, 908; on cabbage, 92; onion, 93; *Taxus cuspidata* nana, 133; *Trigonella foenum-graecum*, 43
- bulb rot, of shallot, 934
- damping-off, of lettuce, 92
- dimerum, 294
- graminearum, 312
- *lycopersici*, influence of carbon and light sources on some cultural characters of, 943
- moniliforme, 496
- var. *subglutinans*, 496
- nivale, 894
- oxysporum, 366
- f. *batatas*, 887
- f. *conglutinans*, 492
- f. *cubense*, 465
- f. *cucumerinum*, 648
- f. *lycopersici*, 160, 493, 622
- f. *nicotianae*, 929
- f. *niveum*, 493, 494, 557
- f. *vasinfectum*, 419
- root rot, of bean, 492; Ladino white clover, 534
- roseum, 364, 366
- f. *cerealis*, 220
- solani, 465
- f. *phaseoli*, 5, 804
- f. *pisi*, 93
- *tricinctum*, 366
- *vasinfectum*, 189
- wilt, of cotton, 419; cucumber, 648
- yellows or wilt, of tobacco, 929
- Fusicladium effusum*, 251
- Fusicoccum* canker, of *Vaccinium corymbosum*, 412
- *putrefaciens*, 412
- Fusidium* sp(p), 367, 594
- Gallotox, 291
- Gangrena disease, of *Solanum stoloniferum*, 257; potato, 257
- Garlic: pink root, 877
- Gaultheria shallon*: *Phyllosticta gaultheriae*, 718; powdery mildew, 718
- GC-2466, 68, 306
- Genetic abnormality, of *Fragaria vesca* var. *bracteata*, 549
- Georgia, 45, 48, 66, 89, 155, 172, 189, 220, 238, 251, 446, 587, 609, 646, 779, 891, 946
- Geotrichum* sp., 367, 395
- Germany, 529
- Ghana, West Africa, 221, 931
- Gibberella zeae*, 496, 498
- Gibberellic acid, 444, influence on seedling blight of corn, 312
- Gladiolus*: bacterial scab, corm and soil treatment for control of, 417; tobacco ringspot virus, transmission of, 463
- Glenospora*, 594
- Gliocladium* sp., 688
- Globe-amaranth, see *Gomphrena globosa*
- Gloeodes pomigena*, 255
- Gloeosporium*, 395, on strawberry, 212
- fructigenum, 395
- *melongenae*, 493, 494

- musarum, 618
- piperatum, 493
- Glomerella cingulata, 395
- gossypii, 189
- Glycine max: pyroid (root knot)
 - nemas, 848
- Glyodin, 21, 253
- Godronia cassandrae, 414
- Gomphrena globosa: bacterial blight,
 - 742; tobacco ringspot virus, 463
- Goosegrass, see Eleusine
- Gramineae: yellow dwarf (virus), 501
- Graminella nigrifrons, 771
- Grape: black rot, 560; downy mildew,
 - 560; powdery mildew, 560
- Graphium sp(p.), 626, 688; on Pinus
 - banksiana, P. resinosa, P. strobus, and Quercus ellipsoidalis, 626
- Grapholitha molesta, 612
- Gray leaf spot, of tomato, 493
- Gray mold rot, of apple, 30
- Gray-wall type disease, of tomato, 495
- Greasy spot, of Citrus, 925
- Greece, 42, 681
- Green mold, of Citrus, 383
- Griseofulvin, 14
- Ground cherry, see Prunus fruticosa
- Guar, see Cyamopsis
- Guatemala, 71, 220, 566, 672, 681, 721,
 - 722, 751, 764, 841
- Guignardia bidwellii, 560
- Gummosis, of Citrus spp., 926
- Gummy stem blight, of cantaloupe, 492,
 - watermelon, 493, 494, 556
- Gymnosporangium clavipes, 109
- globosum, 109
- juniperi-virginianae, 109
- Hadromycosis, of cotton, 840
- Halo blight, of oats, 696
- Halo scab, of Citrus aurantium, 662
- Hawaii, 318, 761, 865
- Hawthorn, see Crataegus
- Helianthus annuus: Botrytis cinerea in
 - seed, 664; crown gall, 100; Sclerotinia sclerotiorum in seed, 664; tobacco ringspot virus, 738
- tuberosus: crown gall, 102
- Helicotylenchus sp(p.), 94, 96, 259, 402,
 - 470, 471
- erythrinae, 841, 842
- microlobus, 747
- nannus, 482
- Helminthosporium sp(p.), 499, 517,
 - on sugarcane, 153
- avenae, 538
- sacchari, 721
- sativum, 23
- tetramera, 366
- torulosum, 618; see also Deighton-
 - iella torulosa
- turcicum, 499
- vagans, 506, 508
- victoriae, 538, 775
- Hemicriconemoides sp., 842
- gaddi, on Camellia japonica, 446
- Herbicides, to break life cycle of Anguina
 - agrostis, 524
- Hercules 3944-H, 506
- Hercules 4223-H, 506
- Heterodera sp(p.), 96, 402, 470
- glycines, 492; methyl bromide fumigation of, 728
- schachtii, 868
- Hilaria mutica: Puccinia stakmanii, negative reaction, 78
- Hoplolaimus, 402
- tylenchiformis, 400, 482
- Hormiscium sp., 367
- Homodendrum sp(p.), 594, on cabbage
 - 92
- Hormone injury, to tomato, 161
- Host-parasite interactions of the Asiatic
 - pyroid citrus nema, 848
- Host range, of Helicotylenchus microlobus, 747
- Hosts, Juniperus: of cedar-apple and
 - cedar hawthorn rust, 109
- Hosts, natural: of cucumber mosaic in
 - Israel, 142
- Huckleberry, see Vaccinium
- Hydnum septentrionale, 787
- Hydracrylonitrile, carbanilate, 385
- Hydrated lime plus Nuclay-streptomycin,
 - 204
- 8-hydroxyquinoline benzoate, 385
- 8-hydroxyquinoline sulfate, 385, 858
- Hylemia antiqua, 269
- Hypodermella arcuata, 655
- Hypoxyton, 687
- pruinatum, 132
- punctulatum, 689
- Idaho, 25, 340, 359, 470, 546, 592, 655,
 - 779
- Illinois, 82, 109, 163, 176, 351, 372, 694,
 - 779, 877, 952
- Index of plant diseases in the United States,
 - Agricultural Handbook No. 165
 - now available, 809
- India, 42, 318, 444, 680, 681, 697
- Indiana, 779
- Inoculum applicator, tractor-mounted,
 - description of, 532
- Insect cage, clip type, 592
- Insecticide treatments, for aphid control
 - in relation to spread of barley yellow dwarf virus, 501
- Internal breakdown, of apple, 29; Tri-
 - folium pratense, 59
- Iodophor, 142

- Iowa, 40, 184, 192, 227, 529, 779, 780, 806
- Ipomoea batatas*: (see also under sweetpotato) pyroid (root knot) nemas, 848
- Iran, 42
- Iraq, 42
- Ireland, 186
- Isariopsis griseola*, 492
- Iso-amyl alcohol, 198
- Israel, 144, 448
- Italy 529, 681
- Jamaica, 618, 808
- Japan, 679, 680, 681
- Jordan, 42
- Juglans hindsii*: *Pratylenchus vulnus*, foliar sprays of schradan, 690
- *regia*: *Verticillium albo-atrum*, no infection from inoculations, 919
- Juniperus* spp.: cedar-quince rust, 109
- , vars. and forms, susceptible or resistant to cedar-apple and cedar-hawthorn rust, 109
- communis: fungi similar to or synonymous with *Exosporium glomerulosum*, 527
- --- var. *depressa*: *Cercospora sequoiae* var. *juniperi*, 529
- *pinchotii*: cedar-apple rust, 1st rept. on this host (Ill.), 109
- *utahensis*: cedar-apple rust, 1st rept. on this host (Ill.), 109
- *virginiana*: cedar blight, 744; *Cercospora sequoiae* var. *juniperi*, 529; needle blight, 527; susceptibility to black root rot, 647
- Kabatiella caulivora*, 315, 366, 367
- *phoradendri* f. *umbellulariae*, 669
- Kansas, 6, 162, 487, 516, 778, 779
- Karathane, 253, 273
- Karschia lignyota*, 416
- Kentucky, 159, 779
- Kerosene, 198
- Kromad* (5% cadmium sebacate; 5% potassium chromate; 1% malachite green; 0.5% auramine; 16% thiram), 506, 744
- Kyllinga brevifolia*: *Piricularia* spp., 680
- Lake States region, 348
- Lanolin, 198
- Late blight, of celery, 92
- Latvia, 530
- Laxitextum bicolor*, 787, 892, 893
- *crassum*, 892, 893
- Leaf blight, of *Crataegus oxyacantha* var. *pauli*, 396
- Leaf blotch, of oats, 540
- Leaf mold, of tomato, 160
- Leaf scald, of rice, 294
- Leaf spot, of bean, 491, 492; *Medicago sativa*, 314; *Melilotus* spp., 315; peanut, 609; *Trifolium pratense*, 315; *Trigonella foenum-graecum*, 40; of *Tropaeolum majus*, 742
- Leaf and tip blight, of onion, 585
- Lecanosticta* sp., associated with needle blight of *Pinus monticola*, 655
- *acicola*, 658
- Leguminous and non-leguminous species: reaction of alfalfa mosaic virus on, 121
- Lemon grass, see *Cymbopogon*
- Lentinus lepideus* 789
- Lenzites betulina*, 892
- *saepiaria*, 892
- *trabea*, 789, 892
- Leptographium* sp(p.), on *Picea* and *Pinus*, 626
- Leptosphaerulina arachidicola*, 609
- Leptothyrium pomi*, 255
- Lettuce: bacterial blight, 742; big vein, 352, 617; corky root rot, 333; downy mildew, 93; *Fusarium* damping-off, 92; Malva and radish yellows (virus), symptoms typical of "June yellows", 406; nitrogen injury, 334; *Olpidium*, infectivity differs from roots of spinach and lettuce, 353, *Olpidium*, Ter-raclo control, 352
- Leytosan (phenyl mercury urea), 291, 444, 664
- Leytosan G. 91, 291
- Leytosol, 444
- Lime, 560
- Limonium bonduellii*: *Botrytis cinerea*, 1st rept. on this host (Florida), 644; crown rots, *Rhizoctonia solani* and *Sclerotium rolfsii*, 1st rept. on this host (Florida), 643
- *sinuatum*: *Botrytis cinerea*, 1st rept. on this (Florida), 644; crown rots, *Rhizoctonia solani* and *Sclerotium rolfsii*, 1st rept. on this host (Florida), 643
- Lindane, 104
- Liquidambar styraciflua*: *Daedalea confragosa*, 787; *Hydnum septentrionale*, 787; *Laxitextum bicolor*, 787; *Panus* sp., 787; *Pleurotus ostreatus*, 787; *Polyporus adustus*, 787; *Polyporus gilvus*, 787; *Polyporus versicolor*, 787; *Schizophyllum commune*, 787; susceptibility to black root rot, 647
- Liqui-san, 291
- Liqui-san Concentrate, 291

- Little leaf, see stubborn disease
 "Llaga macena", see canker of coffee
 LO-1499, 68
 LO-1769, 68
 LO-1769 Sp. T. M., 68
 Losses, from yellow dwarf of
 cereal crops in Oregon, 501
 Lotus spp.: *Stemphylium* leaf spot
 and stem canker, resistance to,
 276
 --- *corniculatus*: brown patch, 115;
 Cercospora sp., 316; *Colletot-*
 trichum sp., 316; *Stemphylium*
 leaf spot and stem canker, 276;
 southern blight, 1st rept. on this
 host (Va.), 115; *Stemphylium loti*,
 276, 316
 Louisiana, 54, 180, 189, 212, 216, 379,
 390, 446, 474, 478, 519, 559, 681,
 779, 840
 Lunasan (ethyl mercury thiourea deriv-
 ative), 664
 Lupinus luteus: *Phomopsis leptostromi-*
 formis, new disease in United States
 (Georgia and Florida), 66
 Lycopersicum esculentum (see also
 tomato): pyroid (root-knot) nemas,
 848

 Macadamia integrifolia: *Phytophthora*
 canker in California, 819
 --- *tetraphylla*: *Phytophthora* canker
 in California, 819
 Macrophoma spp., 823
 Macrophomina phaseoli, 492
 Macrosiphum dirhodum, rose grass
 aphid, 503
 --- granarium, 154, 503, 771, 940
 Macrosteles fascifrons, 154, 771, 888
 Magnolia fuscata, toxicity of PCNB to,
 559
 --- grandiflora: *Clitocybe* mushroom
 root rot, 89
 Maine, 59, 235, 742, 908
 Maize, see corn
 Malathion, 136, 391
 "Mal de machete", see branch and
 stem canker of cacao
 Maleic hydrazide, 524
 Malpighia glabra: *Cercospora bunchosiae*,
 1st rept. on this host (Florida), 505
 Malva parviflora: Malva yellows virus,
 407
 Maneb (Manganese ethylene bisdithio-
 carbamate) 168, 308, 462, 684, 698,
 865, 866
 Manganese Omadine, see manganese
 salt of pyridinethione
 Manganese salt of pyridinethione, 650
 Mangifera indica: anthracnose, 318
 Mango, see Mangifera indica
 Manitoba, 208, 290, 664, 771
 Manure injury, of tobacco, 159
 Maryland, 179, 253, 296, 303, 399, 423,
 459, 684, 742, 752, 779, 834, 948
 Massachusetts, 409, 416
 MC-2, 480
 Medicago: *Uromyces striatus*, 184
 --- lupulina: *Uromyces medicaginis*, 373
 --- sativa: bacterial stem blight, 314;
 bacterial wilt, 314; black stem, 314;
 brown leaf spot, 314, 316; brown
 spot, 314; *Cercospora* leaf spot, 314;
 crown and root rot, 314; downy mil-
 dew, 314; *Fusarium roseum*, 364;
 leaf spot, 314; mosaic (virus), 314;
 Phoma herbarum var. *medicaginis*,
 364; *Pseudoplea* leaf spot, 314, 316;
 rust, 314; scorch 314; *Stemphylium*
 botryosum, 364; *Stemphylium* leaf
 spot, 314; yellow leaf blotch, 314
 Melanoplus differentialis, 464
 Melilotus spp.: black stem, 315; leaf spot,
 315; stem canker, 315; virus complex, 315
 --- italica: *Uromyces striatus*, 1st rept.
 on this host (Iowa), 184
 Meliola xenoderma, 505
 Meloidogyne sp(p.), 189, 399, 402, 493,
 557, 841, 930
 --- africana africana, 841
 --- exigua, 722, 841, 842
 --- --- exigua, 841
 --- hapla, 51, 354, 491, 492, 543
 --- incognita, 51, 160, 161, 354, 482, 841, 842
 --- --- acrita, 51, 288, 354, 441, 480,
 484, 491 ff., 622
 --- inornata, 722, 842
 --- javanica, 51
 --- --- javanica, 441
 Melting-out, of Poa pratensis, 506
 Mema MN, 382
 Mema RM, 382
 Merbam (phenyl mercury dimethyl dithio
 carbamate), 746
 Mer-cad, 291
 Mercury, 290
 Mergamma C (lindane with phenyl mer-
 cury acetate and ethyl mercury
 chloride), 291, 293, 664
 Mer-kote, 291
 Merlane H, 291
 Mer-sol 7S, 291
 Mer-sol 48, 291
 Mer-sol 51, 291
 Merthiolate, 142
 Merulius confluens, 892, 893
 Methods, for extracting nematodes from
 root and soil samples, 217
 Methoxybutenyl carbanilate mixture, 385
 2-(2-Methoxybutenyl) ethyl carbanilate,
 385
 Methyll bromide, 14, 334, 479, 552, 948

- Methyl bromide fumigation, for
Heterodera glycines in North
Carolina, 728
- Methyl cellulose derivate, 484
- Mexico, 288, 372, 672, 681, 692
- Michigan, 186, 348, 396, 530, 550,
695, 755, 779
- Micro-Cel, 484
- Microcitrus australasica: Tylen-
chulus semipenetrans, 281
- Micronized wettable sulfur, 253
- Microsphaera sp., 718
- Millet, see Pennisetum
- Minnesota, 71, 154, 286, 312, 314,
536, 543, 591, 594, 625, 698,
742, 747, 771, 774, 779
- Mississippi, 19, 45, 129, 189, 190,
390, 419, 423, 472, 538, 673, 742,
779, 874
- Missouri, 189, 260, 516, 561, 779
- Molucella laevis: cucumber mosaic
virus, 145
- Monilia, 594
- Monilinia fructicola, 130, 201, 306
- Mononchids, 259
- Mononchus spp., 401
- Monsanto Liquid PCNB, 26
- Montana, 25, 704
- Monuron, 525
- Morocco, 920
- MSG 1, 382
- MSG 40, 382
- Mucor sp(p.), 200, 367, 871
- Muhlenbergia arenacea: Puccinia stak-
manii, negative reaction, 78
- porteri: Puccinia stakmanii, nega-
tive reaction, 78
- Murraya paniculata: Tylenchulus semi-
penetrans, free of, 281
- Muskmelon, see cantaloupe
- Mycobacterium tuberculosis, 200
- Mycosphaerella aleuritidis, 190
- brassicicola, 362
- citrullina, 556
- horii, 925
- melonis, 492 ff.
- pinodes, 364, 366
- Mylone, 309, 334
- Myzus sp., 399
- persicae, 48, 134, 406, 580, 593,
930
- N-2038, 68
- Nabac (2,2-methylene bis (3,4,6-trich-
lorophenol)), 255
- Nabam (disodium ethylene bisdithio-
carbamate), 168, 332, 465, 672,
948
- N-dure, 332
- Nebraska, 516, 744, 779, 815, 896
- Necrosis, stem, of pepper, 550
- Nectarine: peach stunt (virus) 488
- Nectria sp., on coffee, 566
- Needle blight, of Juniperus virginiana,
527; Pinus monticola, 655
- Needle cast, of Pinus monticola, 655
- Nemagon, 289, 480, 735
- Nemagon Soil Fumigant, 484
- Nematode populations: effects of decaying
vegetable matter on, 400
- Nematodes (see also under genera): assay
developed to detect chemicals re-
pellant to, 622; associated with red
clover, 402; effects of soil fumigants
for eradication of, in field bins, 479;
incubation of soil and root samples
in polyethylene plastic for improved
recovery of, 31; methods for extract-
ing from root and soil samples, 217;
modification of the Büchner funnel
method for transferring and concen-
trating nematodes, 450; non-stylet-
bearing, 402; osmotic destruction of,
by addition of sugars to soil, 883;
polyethylene plastic bags and glass
jars as incubation chambers 574; sep-
arated from soil by a modified Baer-
mann funnel technique, 94
- Neofabraea perennans, 6
- Neovossia barclayana, 19
- Neurospora sp., 367
- New Delhi, 848
- New disease: root necrosis of rhubarb in
Michigan, 186
- New distribution: bacterial blight of sugar
beet in Maryland, 742
- : Cephalosporium diospyri on Dios-
pyros virginiana in Okla., 45
- Ceratocystis fimbriata on Theobroma
cacao in Guatemala, 672
- : Ceratocystis moniliformis on Popu-
lus tremuloides in Minnesota, 626
- : Ceratocystis pilifera on Pinus stro-
bus in Minnesota, 626
- : Cercospora traversiana on Trigon-
ella foenum-graecum in North Amer-
ica (Iowa), 40
- : Ciburinia candolleana on Quercus
rubra in U. S. (Pennsylvania), 430
- : Colletotrichum gloeosporioides on
Umbellularia californica (California),
670
- : crazy top of corn in Virginia, 696
- : Cronartium fusiforme on Pinus cari-
baea in Mississippi, 673
- : downy mildew of oats, rye and wheat
in Arkansas, 207
- : downy mildew of watermelon in Ari-
zona, 372
- : etch (virus) of tobacco in Venezuela,
928
- : hoja blanca (virus) of rice in Louisi-

- iana, 390; in Mexico, 751
- : *Hypoxylon pruina* on *Populus tremula* in Wis., 132
- : *Leptosphaerulina arachidicola* on peanut in Georgia, 609
- : *Meloidogyne exigua* on coffee in Guatemala, 722
- : *Phomopsis leptostromiformis* on *Lupinus luteus* in U. S. (Florida and Georgia), 66
- : *Physalospora obtusa* on *Quercus virginiana* in South Carolina, 533
- : powdery mildew of potato in Argentina, 595
- : *Pratylenchus coffeae* on coffee in Guatemala, 722
- : ring spot of *Brassica campestris* var. *annua* in Canada, 362
- : soil-borne mosaic of oats in Virginia, 696
- : sooty-bark canker of *Populus tremuloides* in New Mexico, 373
- : striate mosaic virus of wheat in North Dakota, 771
- : vein clearing virus of sweetpotato in Ghana, W. Africa, 931
- New Hampshire, 306, 653, 912
- New hosts: *Botrytis cinerea*, on *Limonium sinuatum* and *L. bonduellii* in Florida, 644
- : cedar-apple rust on *Juniperus pinchotii* and *J. utahensis* (Ill.), 109
- : *Ceratocystis coerulescens* on *Pinus banksiana* and *P. resinosa* in Minnesota, 626
- : *Ceratocystis fimbriata*, on *Quercus ellipsoidalis* in Minnesota, 626
- : *Ceratocystis piceae* on *Populus tremuloides* in Minnesota, 626
- : *Ceratocystis pilifera* on *Picea* and *Pinus* in Minnesota, 626
- : *Ceratocystis pluriannulata* on *Quercus ellipsoidalis* and *Populus tremuloides* in Minnesota, 626
- : *Cercospora bunchosiae* on *Malpighia glabra* (Florida), 505
- : *Corynebacterium michiganense* on *Solanum mammosum* and *S. muricatum* (Calif.), 98
- : *Cronartium fusiforme* on *Pinus* spp. in Mississippi, 673
- : Hymenomycetous fungi on peach in South Carolina, 891
- : *Meloidogyne hapla* on *Artemisia dracunculus* in California, 358
- : Panicum mosaic of *Setaria lutescens* (Kansas), 487
- : *Pratylenchus coffeae* on *Dahlia* sp., in California and Michigan, 755
- : *Rhizoctonia solani* and *Sclerotium rolfsii* on *Limonium* in Florida, 643
- : southern blight of *Lotus corniculatus* (Va.), 115
- : *Taphrina pruni-subcordatae* on *Prunus domestica* vars. French and Italian in Oregon, 630
- : tobacco ringspot virus on *Abutilon theophrasti* and *Polygonum hydro-piperoides*, 952
- : *Uromyces striatus* on *Melilotus italica*, 184
- : *Verticillium albo-atrum* on *Elaeagnus angustifolia* in New Mexico, 72, peanut in New Mexico, 435
- New Improved Ceresan, 417
- New Jersey, 20, 370, 400, 402, 622, 742, 826, 862
- New Mexico, 72, 77, 189, 373, 435, 605, 793, 956
- New techniques, for plant disease surveys and for appraisal of losses, 5
- New York, 29, 46, 276, 332, 333, 395, 560, 596, 648, 779, 789, 809, 940
- Niacide M, 176
- Nicaragua, 221, 681
- Nickel chloride, 209
- Nickel ethylene bisdithiocarbamate (03818-B), 68
- Nickel nitrate, 209
- Nickel sulfate hexahydrate, 209
- Nicotiana glutinosa*: stem necrosis, 551
- Nicotiana tabacum*: *Pseudomonas aptata*, negative rept., 743
- Nigrospora oryzae*, 367
- No Bunt, 26, 291
- North America, 132
- North Carolina, 14, 45, 62, 189, 342, 432, 448, 491, 527, 728, 733, 779, 800, 886, 934, 955
- North Dakota, 23, 359, 724, 771, 779, 802
- Nova Scotia, 409
- NPH64(Tubosan), 68
- N-phenylmercuriethylenediamine spray, 268
- Nub root, of cotton, 472
- Nuclay, 204
- Nystatin, 660, 866
- Oak: see *Quercus*
- Oats: *Chaetomium globosum*, 775; crown rust, physiological races of, identified in 1959, 780; culm rot, 538; downy mildew, 207; halo blight, widespread and destructive in Virginia, 696; *Helicotylenchus microlobus*, 747; *Helminthosporium* spp., differentiation by ragdoll method, 538; *Helminthosporium victoriae*, 774; leaf blotch, 540; soil-borne mosaic, 1st rept. on this host in Virginia, 696; smut, 290, 293; snow mold in Pennsylvania, 894; stem rust, 5; yellow

- (Oats) dwarf (virus), 5, 940
 Octamethyl pyrophosphoramidate,
 see schradan
 Odontia spathulata, 892, 893
 Ohio, 779
 Oidium, 595
 Oils, action on wood destroying
 fungi, 789
 Oklahoma, 45, 189, 516, 779, 793
 Olea europaea: bacterial knot, con-
 trol with antibiotic drenches
 in greenhouse, 197; method to
 induce galls on, with Pseudo-
 monas savastanoi, 100
 Olive, Russian, see Elaeagnus
 Olpidium, associated with big vein
 of lettuce, 353; on lettuce and
 spinach, 353
 --- brassicae, 352, 617
 Omadine, 142
 Omadine-Copper salt, 382
 Omadine-Disulfide salt, 382
 Omadine-Manganese salt, 382
 Omadine-Thiourea salt, 382
 Omadine-Zinc salt, 382
 Onion: Botrytis cinerea, 93; Fusari-
 um sp., 93; leaf and tip blight,
 585; pink root, 493, 877, screen-
 ing of fungicides and chemothera-
 peutants for control of, 379; purple
 blotch, 493; Pyrenochaeta terres-
 tris, 54; root knot, 493; seedling
 root rot, 493; smut, 259, 332, 804;
 southern blight, 493, 494
 Onion test, a quantitative method for
 determining the distribution of
 emulsifiable DBCP in soil, 510
 Ontario, 259, 273, 297, 373, 530, 596,
 664
 Oospora pustulans, 93
 Oregon, 25, 139, 364, 486, 501, 524, 630,
 702, 718, 742, 796, 905, 919
 Ortho LM, 291
 Ortho LM Concentrate, 291
 Ortho LME, 291
 Ortho L M Seed Protectant, 26
 Ortho LM SP (dry), 291
 Ortho Phaltan, 527
 Ortho Phaltan 50 W, 531
 Ortho Spreader-Sticker, 561
 Ortho sticker (ML-104), 561
 Orthocide, 560
 Orthocide 50-W, 506
 Orthocide 75, 291
 Oxyquinoline sulfate, 672
 Oxytetracycline, 698

 Pacific Northwest, 25
 Pakistan, 42
 Palestine, 42
 Panagrellus sp., 884

 --- redivivus, 622
 Panama, 80, 221
 Panicum miliaceum: Piricularia spp.,
 682, 679
 --- purpurascens: Piricularia spp., 682,
 679
 --- repens: Piricularia spp., 680
 --- virgatum: mosaic (virus), additional
 characteristics, 487
 Panogen, 26
 Panogen 15, 291, 382, 444
 Panogen 42, 293
 Panus sp., 787
 --- rudis, 892
 --- stypticus, 892
 Papaya, see Carica papaya
 Papulospora sp(p.), 367, 594, 823
 Paraguay, 663
 Paralobesia viteana, 560
 Parathion, 130, 136, 501
 Paratylenchus spp., 94, 96, 402
 --- macrophallos, 842
 Parzate, 332
 PCNB, 14, 334, 466, 474,
 559, 934
 Pea: Alternaria sp., 93; damping-off
 fungi, insecticide-fungicide combi-
 nations, effect on emergence of peas
 and growth of fungi, 104; foot rot,
 805; Fusarium root and crown rot,
 93; Helicotylenchus microlobus, neg-
 ative rept., 750
 ---, field, see Pisum
 ---, southern: Ascochyta blight, 493;
 bacterial blight, 493; Cladosporium
 spot, 493, 495; Fusarium wilt and
 root rot, 493; mosaic (undet.), 493,
 495; pod rot, 493; root knot, 493;
 southern blight, 493; target spot, 493,
 495
 Peach: Armillaria mellea in Georgia, 91;
 bacterial spot, 131, dodine for con-
 trol, 826, dodine-captan combination
 for control, 136; brown rot, 130;
 chlorosis, chemical control, 317;
 Clitocybe mushroom root rot, 89;
 crown gall, control with antibiotic
 drenches, 197, methods to induce
 galls, 100; Gloeosporium fructigenum,
 395; Hymenomycetous fungi associated
 with wood decay in South Carolina,
 16 species rept. 1st time on peach in
 United States, 891; leaf curl (virus),
 131; necrotic leaf spot (virus), 117;
 peach stunt (virus), natural spread in
 California, 488; powdery mildew, 22;
 Prunus ring spot virus, Rio Oso Gem
 seedlings as indicator hosts for, 324;
 pustular spot, 424; ring spot (virus),
 117; rusty spot and its control, 20;
 scab, fungicides for control, 129;

- shot hole in Arizona, 629;
twisted leaf virus, 240
- Peach and nectarine: passage of
necrotic leaf spot and ring
spot viruses through seeds,
117
- Peanut: *Belonolaimus longicaudatus*,
control with DBCP and EN 18133,
733; leaf spot, *Leptosphaerulina*
arachidicola, 1st rept. on this
host from Georgia, 609; *Verti-*
cillium wilt, 1st rept. on this
host in U. S. (New Mexico), 435
- Pear: blight control, hydrated lime
improves Nuclay-streptomycin
dust for, 204; decline, behavior
of trees on own roots, 438, red-
leaf condition associated with,
904; *Phytophthora cactorum*, 262;
postharvest fungicide treatments
for reduction of decay, 64; *Pythium*
ultimum, 263; transmissible corky
pit of Flemish Beauty, 636; twisted
leaf virus, 240
- Pecan: scab, 129, dodine for control,
251
- Pelargonium hortorum: *Xanthomonas*
pelargonii, 552
- Pellicularia filamentosa, 92
- Penicillium sp(p.), 200, 367, 395, 467,
594, 622, 823, 908; on *Trigonella*
foenum-graecum, 43
--- digitatum, 383
--- expansum, 30
- Peniophora affinis, 892, 893
- Pennisetum glaucum: fungicides and
gibberellic acid, effectiveness
of as seed treatment for, 444
--- purpureum: *Piricularia* spp., 679
- Pennsylvania, 59, 303, 417, 430, 496,
498, 506, 516, 529, 742, 779, 894
- Pentatrachopus fragaefolii, 436
--- jacobii, 436
--- --- viviparae, 436
--- thomasi, 436
--- --- ssp. jacobii, 12
- Pepper: anthracnose, 493; *Ascochyta*
leaf spot, 493; bacterial blight,
742; bacterial soft rot, 493, 495;
bacterial spot, 172, 493, 494,
resistance of, 587; bacterial wilt,
448; *Botrytis cinerea*, 93; *Cercos-*
pora leaf spot, 173, 493; cucumber
mosaic (virus), 146; *Phytophthora*
blight, 493; *Phytophthora* root rot,
872; southern blight, 493; tobacco
mosaic virus associated with a wilt
and stem necrosis of, 550
---, Tabasco: wilt (tobacco etch virus),
550
- Pepper spot, of *Trifolium pratense*, 315
- Peronospora effusa*, 834
--- parasitica, 492
--- tabacina, 6, 159
--- trifoliorum, 314
- Persea americana*: anthracnose, 318;
Phytophthora cinnamomi, 661, 819
- Persimmon, see *Diospyros*
- Peru, 256, 257
- Pestalotia* spp., on *Castanea* spp., 820,
823
--- quercina, 823
- Petal blight, of camellia, 559
- Petroleum hydro-carbon torch used in
aseptic transfer of microorganisms
and in routine laboratory glass blow-
ing, 296
- Petunia violacea*: tobacco ringspot virus,
738
- Pezizella lythri*, 416
- Phaltan, 64, 68, 168, 176, 270, 334, for
control of grape diseases, 560
- Phaltan 50, 270
- Phenacridane chloride, 684
- Phenyl mercuri triethanol ammonium
lactate 7.5%, see under Puratized
Agricultural Spray
- Phenyl mercury acetate and ethyl mer-
cury chloride, see under Agrox C
- Phenyl mercury dimethyl dithio carbamate,
see under merbam
- Phenyl mercury lactate, 415
- Phenyl mercury urea, see under Leytosan
- Phialophora, 594
--- malorum, 6
- Philippines, 681
- Phix, 308
- Phoma spp., 60, 314, 594
--- castanea, 820
--- herbarum var. medicaginis, 314, 315,
364, 366
--- trifolii, 364, 366
--- tuberosa, 93
- Phomopsis* sp(p.), 718, 823
--- citri, 383
--- juniperovora, 744, 527
--- leptostromiformis, 66
--- stem blight, of *Lupinus luteus*, 66
--- vaccinii, 411
--- vexans, 493, 494
- Phosdrin, 391
- Phygon, 68, 444
- Phyllosticta* sp., 718
--- gaultheriae, 718
--- phaseolina, 492
- Phymatotrichum omnivorum*, 189
- Physalospora obtusa*, 30, on *Quercus*
virginiana, 533
--- tucumanensis, 519
- Phytophthora* spp., 262, 309, 492, 925;
on *Antirrhinum majus*, 946; on *Citrus*
spp., 572, 858; production and use of

- (Phytophthora) zoospore suspension of, for investigations on diseases of Citrus, 572; use of pimaricin in isolation of, from root tissues, 660
- cactorum, 262, 660, 693, 946
 - capsici, 492 ff., 660, 692, 872
 - cinnamomi, 660, 819
 - citrophthora, 309, 572, 579, 660, 693, 710, 858, 872
 - cryptogea, 661, 946
 - erythroseptica, 520
 - fragariae, 948
 - infestans, 160, 227, 235, 306, 493, 896
 - megasperma, 520
 - palmivora, 221, 946
 - parasitica, 62, 309, 578, 660, 672, 693, 710, 858, 946
 - --- var. nicotianae, 155, 159, 296, 303, 929
 - phaseoli, 201, 684
 - root rot, of avocado, 819
 - rot, of watermelon on the market, 693
 - sojae, 543
- Picea sp(p.): Ceratocystis pilifera, 1st rept. on this host (Minn.), 626; Leptographium sp., 625, 626
- engelmannii: susceptibility to black root rot, 647; Valsa (Cytospora) kunzei, 72
- Pigweed, see Amaranthus
- Pilea muscosa: Colletotrichum blight, 697
- Pimaricin, use of, in the isolation of Phytophthora spp. from root tissue, 660
- Pimaricin-penicillin-polymyxin medium, 661
- Pineapple: Ceratostomella paradoxa, 519; red rot, 519
- Pineus sp. (aphid), 658
- Pink root, of garlic, 877; onion, 379, 493, 877; shallot, 379
- Pinus spp.: Leptographium sp., 625; relationship of nematodes with root rot of seedlings, 258
- banksiana: Ceratocystis coerulescens, 1st rept. on this host (Minn.), 626; Ceratocystis ips, 626; Ceratocystis pilifera, 1st rept. on this host (Minn.), 626; Graphium spp., 626; Leptographium sp., 626
 - caribaea: Cronartium fusiforme, 1st rept. on this host from Mississippi, 673
 - clausa: susceptibility to black root rot, 647
 - cooperi var. ornelasi: Cronartium fusiforme, 1st rept. on this host (Miss.), 673
 - echinata: susceptibility to black root rot, 647
 - edulis: susceptibility to black root rot, 647
 - elliotii: susceptibility to black root rot, 647
 - --- var. densa: Cronartium fusiforme, 1st rept. on this host (Miss.), 673
 - --- var. elliotii: cone rust, distribution and control, 36; Cronartium fusiforme, 673
 - glabra: susceptibility to black root rot, 647
 - halepensis: susceptibility to black root rot, 647
 - laricio: susceptibility to black root rot, 647
 - maritima: susceptibility to black root rot, 647
 - monticola: needle blight, 655; needle cast, 655; pole blight, 470; Trichodorus elegans, 470
 - nigra: Cronartium fusiforme, 1st rept. on this host (Miss.), 673
 - palustris: cone rust, distribution and control, 36; susceptibility to black root rot, 647
 - pseudostrobus: Cronartium fusiforme, 1st rept. on this host (Miss.), 673
 - resinosa: Ceratocystis coerulescens, 1st rept. (Minn.), 626; C. ips, 626; Ceratocystis pilifera, 1st rept. on this host (Minn.), 626; Graphium spp., 626; Leptographium sp., 626; susceptibility to black root rot, 647
 - seedlings: Fusarium sp., 258
 - serotina: susceptibility to black root rot, 647
 - strobus: Ceratocystis pilifera, 1st rept. from Minnesota, 626; Graphium sp., 626; Leptographium spp., 626; root stain disease (Verticicladiella sp.) 704; susceptibility to black root rot, 647
 - taeda: root rot, 423; susceptibility to black root rot, 647
 - --- x echinata: susceptibility to black root rot, 647
 - torreyana: Cronartium fusiforme, 1st rept. on this host (Miss.), 673
 - virginiana: susceptibility to black root rot, 647
- Piricularia spp., 679
- grisea, 618, 682
 - --- f. sp. oryzae, 682
 - oryzae, 19, 679
- Pisum sativum var. arvense: Botrytis cinerea, 364; Mycosphaerella pinodes, 364
- Pittsburgh B-1843, 382

- Plant diseases, major limiting factor in crop production in Alaska, 93
- Plasmodiophora brassicae*, 14, 352, 492, 805
- Plasmopara viticola*, 560
- Pleospora conglutinata*, 529
- *herbarum*, 491 ff.
- *obtusa*, 416
- *ostreatus*, 787
- Plum: blossom blight and green fruit rot, 265; twisted leaf (virus), 240
- Plum rusty blotch, of *Prunus* spp., 87
- Poa* spp.: *Sclerotinia* dollar spot, 506
- *pratensis*: melting-out, 506; stripe smut, 672
- Pod rot, of southern pea, 493
- Podosphaera leucotricha*, 253
- Pole blight, of *Pinus monticola*, 470
- Polybutene H-35, 274
- Polybutenes, 273
- Polygonum hydropiperoides*: tobacco ring-spot virus, new host, mechanical inoc., 952
- Polymyxin B sulfate, 660
- Polyporus* spp., 891
- *adustus*, 787
- *gilvus*, 787
- *versicolor*, 787, 789
- Polystichum munitum*: *Phomopsis* sp., 718; *Phyllosticta* sp., 718; *Taphrina faulliana*, 718
- Poncirus trifoliata*: exocortis disease, 180; *Tylenchulus semipenetrans*, 281
- Populus grandidentata*: *Hypoxyylon* canker, 132
- *tremula*: canker, 1st rept. on this host in N. Amer. (Wis.), 132
- *tremuloides*: *Ceratocystis moniliformis*, 1st rept. from Minnesota, 626; *Ceratocystis piceae*, 1st rept. on this host (Minn.), 626; *Ceratocystis pluriannulata*, 1st rept. on this host (Minn.), 626; *Hypoxyylon* canker, 132; sooty-bark canker, 1st rept. on, from New Mexico, 373
- Poria ambigua*, 892, 893
- *corticola*, 892, 893
- *weirii*, 706
- Potato: alfalfa mosaic virus, 120; bacterial wilt, 448; button rot, 93; crinkle mosaic (potato viruses X and A), 340; cucumber mosaic virus, 145; early blight, 308; gangrena disease in Peru, 257; *Helicotylenchus microlobus*, 747; late blight 227, 235, forecasting in western Nebraska 896, fungicides 68, handbook 297; mosaic (virus), 340; powdery mildew, 1st rept. on this host from Argentina, 595; *Rhizoctonia violacea*, 93; seed-piece decay, control of, 698; skin spot, 93
- Powdery mildew, of apple, 253; cantaloupe, 492; cucumber, 273; *Gaultheria shallon*, 718; grape, 560; peach, 22; potato, 595; rose, 273; squash, 492, 494; *Trifolium pratense*, 315; watermelon, 557; wheat, 126
- Pratylenchus* sp(p.), 94, 96, 259, 402, 465
- *brachyurus*, 842, 884
- *coffeae*, 841, 842, 722, 755
- *pratensis*, 400, 491, 492
- Propargyl bromide, 948
- Propyl benzoyl-thionocarbamate, 385
- 2-Propyn-1-ol, Carbanilate, 385
- Prunus* spp.: plum rusty blotch transmissible disorder in California, 87
- *angustifolia*: peach rosette virus, 220
- *domestica*: *Cytospora* canker, distribution and mode of spread, 612; prune dwarf (virus), 490; *Taphrina pruni-subcordatae*, 1st rept. on French and Italian prunes (Oregon), 630; virus infection not the cause of earliness in three strains of Italian prune, 633
- *emarginata* var. *mollis*: twisted leaf (virus), 240
- *fruticosa*: tip blight, 395
- *hortulana*: peach rosette virus, 220
- *injudunda*: peach rosette virus, 220
- *mahaleb*: twisted leaf virus, 240
- *serrulata* vars. *Kwanzan* and *Shirofugen*: virus content (*Lambert mottle* and *mottle leaf*), 632
- *subcordata*: *Taphrina pruni-subcordatae*, 630
- *tenella*: tip blight, 395
- *virginiana*: *Gloeosporium fructigenum*, 395
- --- var. *demissa*: apricot ring pox (virus), 326; twisted leaf and ring pox viruses, 326; twisted leaf virus, 240; twisted leaf virus indigenous in, 328
- Psammotettia lividellus*, 771
- Pseudomonas* sp., 214
- *angulata*, 159, 160
- *apii*, 167
- *aptata*, 742
- *coronafaciens*, 696
- *fluorescens*, 214
- *lachrymans*, 200, 201, 492, 761
- *lauracearum*, 669
- *marginata*, 417
- *medicaginis*, 314
- *phaseolicola*, 200, 201

- (*Pseudomonas*) *savastanoi*, 100, 197
 --- *solanacearum*, 200, 432, 448, 493, 494
 --- *syringae*, 139, 200, 201, 265, 315
 --- *tabaci*, 159, 160
 --- *tomato*, 552
Pseudoperonospora cubensis, 201, 372, 492, 556
Pseudopeziza jonesii, 314
 --- *medicaginis*, 314
 --- *meliloti*, 315
 --- *trifolii*, 315
Pseudoplea sp., 315
 --- *briosiana*, 314, 316
 --- *trifolii*, 315
Pseudotsuga menziesii: susceptibility to black root rot, 647
Puccinia antirrhini, 84
 --- *aristidae*, 828
 --- *asparagi*, 82
 --- *cacabata*, see *P. stakmanii*, 77
 --- *coronata avenae*, 780
 --- *graminis avenae*, 5
 --- *graminis tritici*, 5, 6, 83, 208
 --- *recondita tritici*, 6, 208, 778
 --- *stakmanii*, 77
Pullularia pullulans (see also *Aureo-basidium*), 367, 615, 658
Puradrin, 293
Puraseed, 293
Puratized Agricultural Spray 139, 396, 744, plus glyodin 253
Puratized Apple Spray, 129
Purple blotch, of onion, 493
Pustular spot, of peach, 424
Pyrenochaeta terrestris, 54, 379, 493, 877
Pyrenophora bromi, sporulation on artificial media, 912
Pyroid citrus nema, Asiatic: host range and pathology of, 848
Pyrophyllite plus calcium silicate, 648
Pyrus serotina: red leaf condition, 906
 --- *ussuriensis*: red leaf condition, 906
Pythium sp(p.), 159, 315, 333, 366, 492, 660, 871, on corn, 161
 --- *aphanidermatum*, 492
 --- *butleri*, 296
 --- *debaryanum*, 622
 --- *soft rot*, of tobacco, 159
 --- *spinosum*, 366
 --- *ultimum*, 104, 263, 296, 492
Quercus spp.: *Ceratocystis fagacearum*, limited saprophytic survival in forest duff, 687, squirrels as possible vectors, 192
 --- *alba*: dieback, 351; root rot, *Corticium galactinum* associated, 783; stem swellings, 238
 --- *ellipsoidalis*: *Ceratocystis fimbriata*, 1st rept. on this host (Minn.), 626; *Ceratocystis pluriannulata*, 1st rept. on this host (Minn.), 626; *Graphium* sp., 626; oak wilt, 286
 --- *minima*: cone rust, 36
 --- *nigra*: *Clitocybe mushroom root rot*, 89
 --- *phellos*: *Clitocybe mushroom root rot*, 89
 --- *pinus*: dieback, 351; *Sclerotiniaceae* (unidentified), 431
 --- *pumila*: cone rust, 36
 --- *rubra*: *Ciborinia candolleana*, 1st rept. in U. S. (Pennsylvania), 430
 --- *stellata*: *Clitocybe mushroom root rot*, 89
 --- *virginiana*: cone rust, 36; *Endothia parasitica* associated with canker of, 754; *Physalospora obtusa*, 1st rept. on this host in South Carolina, 533
 8-Quinolinol condensation product, 385
 8-Quinolinol sulfate, 385
 Races (see also strains), physiological, of *Piricularia oryzae*, 679
 Radish: *Malva yellows virus*, 407; *Rhizoctonia solani*, 93; soft rot, 93
Radopholus similis, 31, 405, 465, 574, 842, 858, 884
 Rape, see *Brassica*
 RE 4334, 382
 Reaction (see also resistance, susceptibility), of alfalfa mosaic virus on leguminous and non-leguminous host plants, 121; of alfalfa varieties to two species of root-knot nematodes, 441; of cotton plants to *Verticillium albo-atrum*, 420; of corn and sorghum to corn and Sudan grass head smuts, 113; of cotton varieties to isolates of *Xanthomonas malvacearum*, 800, to races of *Xanthomonas malvacearum*, 606; of *Rhizoctonia solani* to chemicals, 474; *Vigna sinensis* to *Meloidogyne* spp., 51
 Redcedar, see *Juniperus virginiana*
 Red-leaf condition, of pear trees, associated with pear decline, 904
 Red rot, of pineapple, 519
 Red stele, of strawberry, 948
 Relation of fertilizer to development of bacterial spot of pepper, 172
 Resistance, of chestnut species and hybrids inoculated with *Endothia parasitica*, 716; *Citrus* spp., varieties, hybrids and relatives to *Radopholus similis*, 405; cotton strains and progenies to *Verticillium wilt*, 419; eggplant in North Carolina to bacterial wilt, 432; introduced peppers to bacterial spot, 587; *Juglans regia* seedlings to *Verticillium albo-atrum*,

- 919; Juniper hosts to cedar-apple and cedar-hawthorn rust, 109; Lotus spp. to Stemphylium leafspot and stem canker, 276; maize synthetics for disease, 498; pepper to Phytophthora root rot, 872; strawberry varieties and selections to Verticillium albo-atrum, 370; sweetpotato to internal cork (virus), 342
- Rhabdospora oxycocci, 416
- Rhizoctonia, 189, 594, 654, 871, of bean 92; rhubarb, 188
- microsclerotia, 492
- solani, 5, 14, 60, 91, 93, 104, 115, 133, 296, 314, 474, 491 ff., 495, 538, 622, 643, 815; cultural variability of isolates and variability in pathogenicity to Acala and Pima cotton, 956; effects of soil temperature on the pathogenicity of, 793
- violacea, 93
- Rhizopus sp(p.), 189, 594, 823
- nigricans, 43, 908
- stolonifera, 367
- Rhode Island, 133, 943
- Rhopalosiphum fitchii, 503, 771
- maidis, 940
- padi, 940
- Rhubarb: Aspergillus, 186; Fusarium, 186; Penicillium, 186; Rhizoctonia, 188; root necrosis (fungus unidentified), 186; Verticillium albo-atrum, 186
- Rhynchosporium orthosporium, 294
- oryzae, 294
- secalis, 294
- Rice: diseases in the Delta Area of Mississippi, 19; hoja blanca (virus) 71, 394, 1st rept. from Louisiana 390, from Mexico 751, relationship to inoculation point and to age and yield 387, transmission studies in Colombia, 80; kernel smut, 19; leaf scald, 294; leaf smut, 19; Piricularia oryzae 19, physiologic races 679; stripe virus disease, 71
- Root necrosis, of rhubarb, 186
- Root rot, of bean, 491; cotton, 189; navel orange trees, 309; pine seedlings, nematodes associated, 258; Pinus taeda, 423; Quercus alba, Corticium galactinum associated, 783; southern pea, 493
- Root stain disease, of eastern white pine, 704
- Root and stem rot, of alfalfa, 817
- Rosa spp.: powdery, mildew, 273; rose-mosaic virus (Marmor rosae) cured by heat treatments, 46
- Rotylenchulus reniformis, 216
- Rotylenchus, 402, 842
- brachyurus, 482
- Roumania, 529
- Russia, 132, 529
- Russian almond, see Prunus tenella
- Rusts, see under various genera and hosts
- Rusty spot, of peach, 20
- Rutstroemia Karsten emend. Rehm, 431
- Rye: downy mildew (Sclerophthora macrospora), 1st rept. on this host in U.S. (Ark.), 207; Helicotylenchus microlobus, 747
- Saccharum officinarum (see also sugar-cane): Piricularia spp., 679, 682
- Safflower, see Carthamus
- Salal, see Gaultheria
- San, 293
- Sanninoidea exitiosa, 612
- Sanocide, 26, 293
- Saprophytes, 259
- Sap-stain fungi found in Minnesota, 625
- Sapstreak disease, of Acer saccharum, 348
- Saskatchewan, 362
- Scab, of apple, 176, 255, 306; cucumber, 492; peach, 129; pecan, 129, 251; squash, 492, 494; Viola sp. in New York, 596
- Schizophyllum commune, 787, 892
- Schradan (octamethyl pyrophosphoramide), 690
- Sciurus carolinensis, 192
- Sclerophthora macrospora, see Sclerospore
- Scleropogon brevifolius: Puccinia stakmanii, negative reaction, 78
- Sclerospore macrospora 206, 696
- Sclerotia, estimating germinability of, 297
- Sclerotinia botryosum, 364
- dollar spot, of Festuca spp. and Poa spp. 506
- fructicola, see Monilinia
- homoeocarpa, 506
- intermedia, 586
- laxa, 265
- minor, 586
- sativa, 586
- sclerotiorum, 92, 265, 364, 366, 585, 664, 804, 862
- spermophila, 366
- trifoliorum, 586, 862
- var. fabae, 586
- Sclerotiniaceae, on Quercus prinus, 431
- Sclerotium bataticola, 258, 646, 930
- rolfsii, 115, 491 ff., 643, 934
- Scolytus rugulosus, 612

- Scopulariopsis brevicaulis, 367
 Scorch, of *Medicago sativa*, 314
 Seed rot, of flax, 290
 Seed treatment, fungicides and gibberellic acid for *Pennisetum glaucum*, 444
 Seed treatment tests for control of seed-borne and soil-borne bunt of wheat, 25
 Seed treatment trials, co-operative, 290
 Seedling blight, of corn, 312, 498
 --- root rot, of onion, 493
 Septoria apii-graveolentis, 92
 --- leaf blotch, of barley, 23
 --- passerinii, 23
 --- vaccinii, 416
 Sequestrene 138 Fe, 317
 Sequestrene 330 Fe, 317
 Sequoia gigantea: *Cercospora sequoiae*, 529
 Sesame, see *Sesamum*
 Sesamum indicum: angular leaf spot, 221; bacterial blight, 742; tobacco ringspot virus, 738
 Setaria lutescens: *Panicum mosaic* (virus), 1st rept. on this host, 487; *Piricularia* spp., 680
 --- viridis: *Piricularia* spp., 680
 Setrete, 293
 Seventy-seven Triple A, 293
 Severinia buxifolia: *Tylenchulus semipenetrans*, free of, 281
 Sevin, 560
 Shallot: bacterial soft rot, 934; black mold, 934, 938; *Botrytis allii*, 934; *Fusarium* bulb rot, 934; methods of controlling diseases, 934; pink root, 379, screening of fungicides and chemotherapeutants for control of, 379; *Sclerotium rolfsii*, 934
 Shell flower, see *Molucella*
 Shell Seed Dressing AM, 293
 Shot hole, of peach, 629
 Sinapsis arvensis: cucumber mosaic virus, 145
 Sitona hispidula, 534
 Skin spot, of potato, 93
 Small grains: *Cephalosporium* stripe, 1st rept. of natural occurrence in field in U. S., 877
 SMDC, 552
 Smut, see under various genera and hosts
 Smut Go, 26
 Snow mold, of Bermuda grass, 517; oats, 894
 Sodium hypochlorite, 660
 Sodium orthophenylphenate plus hexamine, 383
 Sodium penicillin G, 660
 Sodium pimaricin, 660
 Sodium usnate, antibiotic for plant diseases, 200
 Soft root rot of flax, 214
 Soft rot, of cabbage, 92
 Soft rot, of radish, 93
 Sogata cubana, 394, 751
 --- furcifera, 751
 --- orizicola, 80, 387, 390, 751
 Soil organisms: effect of high-temperature water vapor on, 804
 Solanum: see also eggplant, potato
 --- douglasii: *Corynebacterium michiganense*, 98
 --- mammosum: *Corynebacterium michiganense*, 1st rept. on this host (Calif.), 98
 --- muricatum: *Corynebacterium michiganense*, 1st rept. on this host (Calif.), 98
 --- nigrum: *Corynebacterium michiganense*, 98
 --- stoloniferum: gangrena disease, 257
 Soluble 50 Nemagon, 831
 Sooty-bark canker, of *Populus tremuloides*, 373
 Sooty blotch, of apple, 255; *Trifolium pratense*, 315
 Sorghum sp(p): *Sphacelotheca reiliana*, 113
 --- vulgare: covered kernel smut in Israel, 147; head and long smut in Israel, 147; loose kernel smut, 147; pyroid (root-knot) nemas, 848
 South Africa, 432
 South America, 62, 672, 679
 South Carolina, 45, 134, 189, 527, 532, 779, 891
 South Dakota, 113, 771, 779
 Southern blight (see also *Sclerotium rolfsii*), of bean, 492; carrot, 492; eggplant, 493; *Lotus corniculatus*, 115; onion, 493, 494; pepper, 493; southern pea, 493; tomato, 493
 Soybean: *Diaporthe phaseolorum* found in seed, 596; *Helicotylenchus microlobus*, 747; *Phytophthora* root rot, effect of soil temperature and *Meloidogyne* hapla, 543; tobacco ringspot virus, 738; transmission studies of tobacco ringspot virus, 952
 Spadix rot, of *Anthurium andraeanum*, 865
 Spain, 184
 "Speckle", of banana, see fruit spot
 Spergon, 444
 Spergon SL (tetrachloropara-benzoquinone), 293, 724
 Sphaceloma violae, 596
 Sphacelotheca cruenta, 147
 --- reiliana, 113, 147
 --- sorghi, 147

- Sphaerotheca pannosa*, 22, 273
 Spinach: bacterial blight, 742;
 blue mold, 834; *Olpidium*,
 infectivity differences from
 roots of spinach and lettuce,
 353; rust, 828
 ---, New Zealand, see *Tetragonia*
Spongospora subterranea, 257
Sporidesmium glomerulosum, 529
Sporobolus contractus: *Puccinia*
 stakmanii, negative reaction,
 78
 --- *cryptandrus*: *Puccinia* *stak-*
 manii, negative reaction, 78
 Spot blotch, of barley, 23
 Spring dead spot, of Bermuda grass,
 516
 Squash: *Choanephora* fruit rot, 492,
 494; downy mildew, 492, 494;
 mosaic (virus), *Diabrotica bal-*
 teata, new insect vector of, 134;
 mosaic (virus undet.), 492, 494;
 Phytophthora blight, 492, 494;
 powdery mildew, 492, 494; scab,
 492, 494; tobacco ringspot virus,
 738
 Squirrels, possible vectors of *Cera-*
 tozystis fagacearum in Iowa, 192
Stagonospora meliloti, 314
 Stalk rot and smut, of corn, 498
Staphylococcus aureus, 200
 Statice, see *Limonium*
 Stauffer Compound N-521, 382
 Stauffer HCB 40, 26
Steccherinum ochraceum, 892, 893
 Stem canker, of *Melilotus* spp., 315
 Stem necrosis, of *Datura stramonium*,
 551; *Nicotiana glutinosa*, 551
 Stem pitting, of apple, 767
 Stem rot, of *Antirrhinum majus*, 946
 Stem swellings, of *Quercus alba*, 238
 Stem-end rot, of Citrus, 383
Stemphylium botryosum, 43, 314, 315,
 364, 366
 --- *consortiale*, 367
 --- leaf spot and stem canker, of
 Lotus spp., 276
 --- *loti*, 316, 276
 --- *radicinum*, 92
 --- *sarcinaeforme*, 306, 315
 --- *solani*, 493
 --- *trifolii*, 366
Stenotaphrum secundatum: *Piricularia*
 spp., 679, 682
Stereum albobadium, 892, 893
 --- *complicatum*, 891, 892, 893
 --- *ochraceo-flavum*, 892, 893
 Stewart's disease, of corn, see
 bacterial wilt
 Stolon rot, of Ladino white clover in
 the greenhouse, 653
 Stop-Mold, 64
 Storage decays, of chestnuts, 820
 Strains, of barley stripe-mosaic virus
 tested against type-strain antiserum,
 752; of tobacco ringspot virus, 738
Strasseria oxycocci, 416
 Strawberry (see also *Fragaria*): chloro-
 genic acid in plants affected with
 crinkle and yellows viruses, 536;
 curly dwarf (virus), 12; *Gloeospor-*
 ium sp., fruit rot, believed to be
 first record in United States, 212;
 "latent C" virus plus other viruses,
 796; mottle virus, ability of *Aphis*
 gossypii to transmit 12; red stele,
 948; vein banding virus, transmis-
 sion by aphid vectors, 436; *Verti-*
 cillium wilt, 370
Streptomycin, 142, 168, 197, 698
 Stunt, of bean, 492
Stysanus spp., 594
 Sucrose, 884
 Sucrose and dextrose as nematocides,
 883
 Sugarcane (see also *Saccharum*): *Elsinoë*
 sp., 153; *Helminthosporium* sp.,
 153; mosaic virus, apparatus for in-
 oculating, 874; *Phytophthora* rot of
 seed pieces in Louisiana, 519
 Sulfur, 136, 462
 Sunflower, see *Helianthus*
 Susceptibility, of *Amaranthus retroflexus*
 to *Rhizoctonia solani* in irrigated
 fields, 815; of apple varieties to scar
 skin disease, 260; of *Artemisia vul-*
 garis and *Helianthus tuberosus* to
 crown gall, 102; of Citrus species
 and varieties, and other rutaceous
 plants to *Tylenchulus semipenetrans*,
 281; of cotton varieties to leaf crum-
 ple virus, 248; of Juniper hosts to
 cedar-apple and cedar-hawthorn rust,
 109; of rice varieties to *Piricularia*
 oryzae, 681; of tree species to black
 root rot, 646
 "Swamp spot", see fruit spot
 Sweetgum, see *Liquidambar*
 Sweetpotato: *Bemisia tabaci*, vector of
 mosaic virus in Georgia, 48; feathery
 mottle (virus), 707; *Fusarium* wilt,
 887; internal cork (virus), 343, 707,
 886; *Meloidogyne* spp., dry heat treat-
 ment, 354; *Rotylenchulus renifor-*
 mis, 216; vein clearing virus, 1st
 rept. in Ghana, W. Africa, 931; yel-
 low dwarf virus, eliminated by heat
 treatment, 707
 Systox, 288
 Tag, 142
Tagetes erecta: *Colletotrichum* blight, 697

- Taiwan (Formosa), 848
 Taphrina faulliana, 718
 --- pruni-subcordatae, 630
 Target spot, of southern pea, 493, 495; Trifolium pratense, 315
 Tarragon, see Artemisia
 Taxodium distichum: susceptibility to black root rot, 647
 Taxus cuspidata nana: Fusarium spp. and Rhizoctonia solani, 133
 TBCS, 168
 Tech Thiram, 271
 Techniques: clip-type insect cage, 592; new, for plant disease surveys and for appraisal of losses, 5; Popp's for routine detection of Ustilago nuda in barley embryos, 591
 Telone, 479, 483
 Tennessee, 45, 189, 779
 Terraclor, 14, 352, 559
 Terramycin, 197
 Tersan OM, 506
 Tetrachloropara-benzoquinone, see under Spergon SL
 Tetracycline, 214
 Tetragonia expansa: bacterial blight, 742
 Tetramethylthiuram disulfide, see under thiram
 Tetranychus telarius, 952
 Texas, 45, 71, 170, 189, 391, 585, 605, 681, 738, 742, 779
 Thailand, 681
 Thecaphora solani, 257
 Thelephora galactina, 783
 Theobroma cacao: branch and stem canker (Ceratocystis fimbriata), 1st rept. on this host from Guatemala, 672; Phytophthora palmivora, world survey, 221
 Therioaphis maculata, 442
 Thielaviopsis sp(p.), 333
 --- basicola, 5, 160; cultural variability of isolates and variability in pathogenicity to Acala and Pima cotton, 956
 Thimerosal, 936
 Thimet, 288, 501
 Thioacetamide, 385
 Thioneb 50W, 382
 Thiourea, 385
 Thiram (Tersan) (tetramethylthiuram disulfide), 21, 104, 169, 269, 270, 307, 334, 664, 858, 948
 Thylate, 334
 Tilletia caries, 25, 290
 --- foetida, 25, 290, 293
 --- tritici, 293
 Tip blight, of Prunus fruticosa and tenella, 395
 Tobacco: Alternaria (brown) spot, 63; angular leaf spot, 159, 160; anthracnose, 159; ashy mold, 930; bacterial black stalk, 930; bacterial wilt, 448; black root rot, 160; black shank, 62, 159, 303, 929, history of, in Georgia, 155; blue mold, (downy mildew), 6, 159; cold injury, 159; club root (virus), 160; curly top virus (Ruga verrucosans), 160; 2,4-D injury, 930; diseases in Venezuela, 928; etch (Mar-mor erodens), 160, 1st rept. from Venezuela, 928; frog-eye, 63, 160, 930; Fusarium yellows or wilt, 929; green peach aphid (Myzus persicae), 930; leaf curl (virus), 62, 929; manganese toxicity, 159; manure injury, 159; Meloidogyne sp., see root knot; mosaic (virus), 6, 62, 928; Pythium soft rot, 159; ring spot (virus), 930; root knot 160, 399, 930; streak (virus) 929; tobacco necrosis virus, 640; tobacco ringspot virus, 463, 738; veinbanding (virus), 929; wildfire, 159, 160
 Tolyposporium andropogonis, 148
 --- ehrenbergii, 147
 --- globuligerum, 148
 --- paspali, 148
 --- penicillariae, 148
 --- restifaciens, 148
 --- volkensii, 148
 Tomato: Agrobacterium tumefaciens, 100, 552; anthracnose, 297, 493, 495; Ascochyta leaf spot, 493, 495; bacterial canker, 200, 493, 495, 552, sodium usnate for control, 200; bacterial spot, 493; bacterial wilt, 448, 493; Botrytis blight, 493, 495; Corynebacterium michiganense, 200, 493, 495, 552; crease stem, 170; crown gall, 100, 552; cucumber mosaic (virus), 146; curly top (virus), 160; early blight, 160, 308, 493, 495; fruit rot, 493, 495; Fusarium wilt, 160, 493; gray leaf spot, 493; gray-wall type disease, 495; hormone injury 161; late blight, 160, 306, 493; leaf mold, 160; Meloidogyne, see root knot; root knot, 161, 357, 493, 622, 848; southern blight, 493; tobacco mosaic (virus), 160, 493, 495; tobacco necrosis virus, 640; Verticillium wilt, 160
 Toxicity, of PCNB, to Magnolia fuscata, 559
 ---, manganese, in tobacco leaves, 159
 Toxoptera citricidus, 580
 --- graminum, 771, 940

- Tractor-mounted inoculum applicator, description of, 532
- Transmissible corky pit, of Flemish Beauty pear fruits, 636
- Transmission, of an apple virus through seeds, negative results, 695; of aster yellows virus to barley, 154; of barley yellow dwarf virus by aphid species from oat field samples, 940; of hoja blanca of rice by planthopper, *Sogatia cubana*, 394; of ring spot virus of tobacco on soybean and weeds, 952; of tobacco ringspot virus on tools during harvesting flowers and corms of *gladiolus*, 463
- Trialeurodes abutilonea*, 952
- *vaporarium*, 952
- Trichoderma* sp.(p.), 367, 594, 654, 688, 909
- Trichodorus*, 402, 479, 483
- *christiei*, 259, 842
- *elegans*, 470
- *monohystera*, 842
- Trichothecium* sp., 367
- Tridens pulchellus*: *Puccinia stakmanii*, negative reaction, 78
- Trigonella foenum-graecum*: *Cercospora traversiana* (leaf spot), 1st rept. in North America (Iowa), 40; fungi observed on in Iowa, 43
- Trifolium hybridum*: *Botrytis cinerea*, 364; diseases found in Minnesota, 316; *Fusarium roseum*, 364; *Phoma trifolii*, 364; *Stemphylium botryosum*, 364
- *incarnatum*: *Botrytis cinerea*, 364; *Fusarium roseum*, 364; *Kabatella caulivora*, 367; *Phoma trifolii*, 364; *Sclerotinia botryosum*, 364; *Sclerotinia sclerotiorum*, 364
- *pratense*: anthracnose, 315; bacterial blight, 315; black stem and leaf spot, 315; *Fusarium* spp., 59, 315; *Helicotylenchus microlobus*, 747; internal breakdown, 59; leaf spot, 315; nematodes associated in second growth year, 402; pepper spot, 315; *Phoma* spp., 60; powdery mildew, 315; *Pythium* spp., 315; *Rhizoctonia solani*, 60; rust, 315; *Sclerotinia sclerotiorum*, 862; sooty blotch, 315; target spot, 315; virus complex, 315
- *repens*: alfalfa mosaic virus, 120; diseases in Minnesota, 316; *Sclerotinia trifoliorum*, 862
- *repens* var. *Ladino*: relationship between injury by the clover root rot *curculio* and incidence of *Fusarium* root rot in, 534; *Sclerotinia sclerotiorum*, 862; *Sclerotinia trifoliorum*, 862; stolon rot, heat induced, in greenhouse, 653
- Trinidad, 672
- Triplonchium* sp., 259
- Tris ammonium lactate*, 318
- Tritisan*, 293
- Tropaeolum majus*: leaf spot, 742
- Tuberculina persicina*, 78
- Tung oil tree, see *Aleurites*
- Turkey, 42
- Tween 20(polyoxyethylene sorbitan monolaurate), 253
- Tylenchorhynchus*, 402, 470, 480, 842
- *claytoni*, 491, 492
- Tylenchulus semipenetrans*, 216, 281, 450, 510, 830, 858
- Tylenchus*, 258, 259, 402
- Typhula itoana*, 894
- Ulmus* spp.: *Ceratocystis ulmi* (Dutch elm disease) 161 ff., 908, method of culturing samples, 806
- *americana*: *Clitocybe mushroom* root rot, 89
- Umbellularia californica*: *Botryodiplodia*, 669; *Botryosphaeria* associated with dieback, 669; *Colletotrichum gloeosporioides*, 1st rept. on this host in this country (Calif.), 670; *Dothiorrella*, 669; *Kabatella phoradendri* f. *umbellulariae*, 669; *Pseudomonas lauracearum*, 669
- Uncinula necator*, 560
- Upjohn GAB-5 (75% cycloheximide, 75% bis (dimethylthiocarbamoyl) disulfide), 506
- Urea-boric acid reaction product, 385
- Urocystis cepulae*, 269, 332, 804
- Uromyces anthyllidis*, 184
- *baeumlerianus*, 184
- *medicaginis*, 373
- *phaseoli*, 201
- --- var. *typica*, 459, 491, 492, 809
- *striatus*, on *Euphorbia*, 184; on *Melilotus italica*, 184
- --- *medicaginis*, 184, 314
- *trifolii*, 315
- Ustilago avenae*, 290, 293
- *hordei*, 290
- *kolleri*, 290, 293
- *nigra*, 71
- *nuda*, 71, 591, 724, 802
- *striiformis*, 672
- Utah, 25, 655, 706, 742
- Vaccinium corymbosum*: *Alternaria tenuissima*, 416; *Cladosporium* spp., 416; *Coryneum canker*, 409; dieback (boron deficiency), 855; *Epicoccum*

- (*Vaccinium*) sp., 416; *Fusicoccum* canker, 412; *Karschia lignyota*, *Macrophoma* sp., *Pezizella* lythri, *Pleospora obtusa*, *Rhabdospora oxycocci*, *Septoria vaccinii*, *Strasseria oxycocci*, 416
- macrocarpon: *Fusicoccum putrefaciens*, 414
- ovatum: *Venturia* leaf spot, 718
- Valsa* (*Cytospora*) *kunzei*, 72
- Vapam (sodium N-methyl dithiocarbamate), 14, 309, 334, 465, 948
- Vaseline, 198
- Vectors, of barley yellow dwarf virus, 503
- Vegetable diseases, in Alaska, 92
- Venezuela, 62, 71, 80, 505, 662, 672, 681, 928
- Venturia inaequalis*, 176, 255, 306; --- *vaccinii*, 718
- Veracruz, 751
- Versenol F, 317
- Verticicladiella* sp., 706
- Verticillium* spp., 594
- albo-atrum, 72, 160, 186, 189, 256, 366, 370, 419, 435, 478, 807, 840, 903, 908
- dahliae, 903
- wilt, of *Carthamus tinctorius*, 901
- Vicia villosa*: *Ascochyta pisi*, 364
- Vigna sesquipedalis*: *Meloidogyne* spp., 51
- *sinensis*: *Cladosporium vignae*, 955; *Meloidogyne* spp., 51; tobacco necrosis virus, 640; tobacco ringspot virus, 738
- Viola* sp.: scab, in New York, 596
- Virginia, 59, 351, 527, 696, 742, 754, 779
- Virus diseases: apricot ring pox of chokecherry, 326
- : association of twisted leaf spot of cherry and ring pox of apricot, 243
- : aster yellows of barley, 154
- : barley yellow dwarf of oats, 940
- : club root of tobacco, 160
- : corky pit of Flemish Beauty pear fruit, 635
- : crinkle and yellows of strawberry, chlorogenic acid in plants, 536
- : curly dwarf of strawberry, 12
- : curly top (*Ruga verrucosans*), of tobacco and tomato, 160
- : etch of tobacco 160, 928
- : exocortis of *Citrus* spp., 925
- : feathery mottle of sweetpotato, 707
- : hoja blanca of *Echinochloa colonum*, 394; rice, 80, 387, 390, 394, 751, in Guatemala, 71
- : infectious variegation of *Citrus* in Florida, 426
- : internal cork of sweetpotato, 342, 707, 886
- : Lambert mottle and mottle leaf of *Prunus serrulata* vars. Kwanzan and Shiro-fugen, 632
- : latent A virus in *Fragaria vesca*, 702
- : "latent C" virus plus other viruses on strawberry varieties and seedlings, 796
- : leaf crumple of cotton, 246
- : leaf curl of peach, 131; of tobacco, 62, 929
- : malva yellows of *Malva parviflora*, radish, lettuce, 406
- , mosaics: of cucumber, 144, *Medicago sativa*, 314, *Panicum* spp., 487, potato, 340, southern pea, 493, 495, squash, 134, 292, 494, tobacco, 6, 62, 928, tomato, 493, 495;
- : alfalfa mosaic of potato and white clover, 120
- : barley stripe mosaic of wheat, 359, 752
- : crinkle mosaic of potato, 340
- : cucumber mosaic of *Carthamus tinctorius*, 145; Cavendish banana, 145; *Molucella laevis*, 145; pepper, 146; potato, 145; shell flower, 145; *Sinapsis arvensis*, 145; sugar beet, 144; tomato, 146
- : *Panicum* mosaic of *Digitaria sanguinalis*, 487, *Setaria lutescens*, 487
- : soil-borne mosaic of oats in Virginia, 696
- : striate mosaic of wheat in North Dakota, 771
- : sugarcane mosaic, apparatus for inoculating, 874
- : tobacco mosaic of pepper, 550; tomato, 160
- : mottle of strawberry, 12
- : necrotic leaf spot of peach, 117
- : negative transmission through seeds of apple, 695
- : peach rosette of *Acer rubrum*, *Prunus angustifolia*, *P. hortulana*, *P. injucunda* and *P. salicina*, 220
- : peach stunt of nectarine, 488; peach, 488
- : prune dwarf of *Prunus domestica*, 490
- : *Prunus* ring spot of peach, 324
- : psorosis virus complex, of *Citrus*, 426, 926
- : radish yellows of *Capsella bursa-pastoris*, 407; lettuce, 406; sugar beet, 407
- : rasp leaf or leaf enation of apple, 634

- : rind spot of Citrus spp., 925
- : ring pox of apricot, 242
- : ring spot of peach, 117; tobacco, 930
- : scaly bark of Citrus spp., 925
- : spreading decline of Citrus, 465
- : stem pitting of apple, 767
- : strains of the barley stripe mosaic of barley and wheat, 752
- : streak of tobacco, 929
- : stripe virus disease of rice, 71
- : stubborn disease of Citrus spp., in Morocco, 920
- : stunt of corn, 764
- : tobacco necrosis virus of bean, 639; *Cleome spinosa*, 639; cow-pea, 640; cucumber, 639; sugar beet, 640; tobacco, 640; tomato, 640
- : tobacco ringspot of *Abutilon theophrasti*, 952; *Antirrhinum majus*, 463; bean, 738; cantaloupe, 738; *Crotalaria intermedia*, 738; cucumber, 463, 738; *Cyamopsis tetragonoloba*, 738; eggplant, 738; *Gomphrena globosa*, 463; *Helianthus annuus*, 738; lima bean, 738; *Petunia violacea*, 738; *Polygonum hydropiperoides*, 952; *Sesamum indicum*, 738; soybean, 738; squash, 738; tobacco, 463, 738; *Vigna sinensis*, 738; watermelon, 738
- : tristeza of Citrus spp., 925, in Florida, 765
- : twisted leaf of apple, 240; apricot, 240; cherry, 240; chokecherry, 240; peach 240; pear, 240; plum, 240; *Prunus mahaleb*, 240; Van variety of sweet cherry, 331; wild cherry, 240; twisted leaf and ring pox of *Prunus virginiana* var. *demissa*, 326; twisted leaf virus indigenous in *Prunus virginiana* var. *demissa*, 328
- : veinbanding of strawberry, 436; tobacco, 929
- : vein clearing virus of sweetpotato in Ghana, 931
- : virus complex of *Melilotus* spp., 315; *Trifolium pratense*, 315
- : virus infection not the cause of earliness in three strains of Italian prunes, 633
- : wilt (tobacco etch virus), 551
- : xyloporosis (cachexia) of Citrus spp., 925
- : yellow dwarf of barley, 501; grasses, 501; oats, 5; sweetpotato, 707
- 677, 804, 855, 907
- Water core, of apple, 29
- Watermelon: *Alternaria* leaf spot, 557; anthracnose, 493, 494, 556; bacterial rind necrosis, 761; *Cercospora* leaf spot, 493, 557; downy mildew, 556, 1st rept. from Arizona on this host, 372; fruit rot, 493; *Fusarium* wilt, 493, 494, 557; gummy stem blight, 493, 494, 556; *Phytophthora* rot on the market, 692; powdery mildew, 557; relation of disease occurrence to weather, 557; root knot, 493, 494, 557; tobacco ringspot virus, 738
- Weather injuries: bruising of apples by strong winds, 179; cold injury to tobacco, 159; cold reaction of corn, 498; winter injury to Bermuda grass, 517
- Weather map analysis, aid in forecasting late blight of potato, 227
- Web blight, of bean, 492
- Weeds: fumigants, late fall application for control of, 868; transmission studies of tobacco ringspot virus on, 952
- West Indies, 318
- West Virginia, 779
- Western white pine, see *Pinus monticola*
- Wettable sulfur, 21, 130
- Wheat: barley stripe mosaic (virus), 359; bunt, 26, 290; bunt trials, 293; downy mildew, 1st rept. on this host in Arkansas, 207; *Gibberella* and *Fusarium* head blight, 220; *Helicotylenchus microlobus*, 747; leaf rust, 6, control by zineb and inorganic nickel salts, 208, physiologic races in the U. S., in 1959, 778; powdery mildew, (new race), 126; stem rust, 5, control by zineb and inorganic nickel salts, 208; strains of the barley stripe mosaic virus, 752; striate mosaic virus, 1st rept. in North Dakota, 771
- Wildfire, of tobacco, 159, 160
- Wilt, of *Diospyros virginiana*, 45; pepper, 550
- Wirestem, of cabbage, 14, 492
- Witches'-broom, on French and Italian prunes, 630
- Withertip, of Citrus, 318
- Wisconsin, 132, 529, 779
- Wood pitting, of unbudded citrus seedlings, 916
- Woody galls, of Citrus spp., associated with vein-enation virus infection, 580
- Wyoming, 779
- Xanthomonas campestris*, 492

(*Xanthomonas*) *juglandis*, 200, 201
 --- *malvacearum*, 189, 200, 201, 800;
 history, distribution, races and
 disease cycle of, in California, 603
 --- *pelargonii*, 552
 --- *phaseoli*, 200
 --- *pruni*, 131, 136, 826
 --- *translucens*, 200
 --- *vesicatoria*, 172, 200, 493, 494
 552, 587
 --- *vignicola*, 493
Xiphiinema, 402
 --- *americanum*, 259, 842
 --- *radicicola*, 842

Yellow leaf blotch, of *Medicago sativa*,
 314

Yellows, of cabbage, 492

Zea mays (see also corn): pyroid (root
 knot) nemas, 848
Zinc ethylene bisdithiocarbamate see
 under zineb
Zinc oxide, 334
Zinc sulfate-lime, 826
Zineb (*zinc ethylene bisdithiocarbamate*),
 21, 169, 176, 209, 251, 318, 444,
 462, 664, 866, 935, 955
Zingiber mioga: *Piricularia* spp., 680
 --- *officinale*: *Piricularia* spp., 680
Ziram (*zinc dimethyldithiocarbamate*),
 21, 218, 251, 415

ERRATA

On page 102, 1st line in last paragraph read *Helianthus annuus* instead of *Helianthus annus*.

On page 552, 1st paragraph, 5th and 9th lines read *Corynebacterium sepedonicum* instead of *Corynebacterium sepidonicum*.

On page 664, 1st paragraph, 3rd line, read *Helianthus annus* instead of *Helianthus annus*.

On page 771, last paragraph, 5th line read *Exitianus exitiosus* instead of *Exitionus exitiosus*.

On page 842 under 2a. read *Pratylenchus coffeae* instead of *Pratylenchus coffea*.

See also corrections on pages 373 and 962.

CROPS RESEARCH DIVISION